Form 3160-3 (November 1983) (formerly 9-331C)


UNITED STATES DEPARTMENT OF THE INTERIOR

SUBMIT IN TR CATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 1004-0136
Expires August 31, 1985

	J. DEZGE DEBIGNATION									
	14-20-603-3 6. IF INDIAN, ALLOTTER									
APPLICATION	Navajo	VE IBIBE NEED								
1a. TYPE OF WORK	ILL 🛭	ск 🗆	7. UNIT AGREEMENT NA	MB						
b. TYPE OF WELL	ILL &	DEEPEN		FEOG BA		SW-I-4192				
011.	AS OTHER		8 7	HECEIVED	Pra 🗆	8. FARM OR LEASE NAM	**			
2. NAME OF OPERATOR	· <u></u>			TECEIVE	,	Ratherford	Unit			
Phillips Oil C	Company	,				9. WELL NO. 17-42				
8. ADDRESS OF OPERATOR	Casper, WY 82	602		JUL 2 2 1985						
						10. FIELD AND POOL, OF				
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*) At surface 1980' FNL, 660' FEL Sec. 17-T41S-R24FGAS & MINING Greater Aneth 11. SBC., T., R., M., OR BLE. AND SURVEY OR AREA										
1980'	FNL, 660' FEL S	ec. 17-T41	S-R24	GASS MINING		11. SEC., T., R., M., OR B. AND SURVEY OR ARI	BA.			
At proposed prod. son	ne					Con 17-T/1	C_D2/E			
14. DISTANCE IN MILES	AND DIRECTION FROM NEAR	REST TOWN OR POS	T OFFIC	7.		Sec. 17-T41				
	5 miles south o					San Juan	Utah			
15. DISTANCE FROM PROPO	08ED* 6601 fro	m Ratherfo	+46. N	O. OF ACRES IN LEASE	17. NO.	OF ACRES ASSIGNED				
LOCATION TO NEARES!	r Unit line, ir any, Lea] "	2560	TOT	HIS WELL 40 acres				
18. DISTANCE FROM PROI	OSED LOCATION*		19. P	ROPOSED DEPTH	20. BOTA	RY OR CABLE TOOLS				
TO NEAREST WELL, D OR APPLIED FOR, ON TH	RILLING, COMPLETED, 13	201		5500 harrisk	1	Rotary				
21. ELEVATIONS (Show wh				A		22. APPROX. DATE WOR				
4677' ungraded	l ground					3rd quarter	1985			
23.	P	PROPOSED CASI	NĞ AN	D CEMENTING PROGR	AM					
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F	TOOT	SETTING DEPTH		QUANTITY OF CEMEN	T			
17-1/2"	13-3/8"	48#		100'	150 s	50 sx (175 cu. ft.)				
12-1/4"	9-5/8"	36#		1600'		x (1000 cu. ft.)			
8-3/4"	7"	23# & 2	6#	5500'	1000	sx (1500 cu. ft	•)			
to increase the BOP equipment in above space describing to the proposal is to preventer program, if an	equested to dril ne ultimate reco will be operate E PROPOSED PROGRAM: If I drill or deepen directions	ed daily and	the F	Appropriate the steel weekly. APPROPRIATE DATE BY: WZLI	PROVEING SPAC	D BY THE STATE DIVISION OF SAND MINING 30-85	INUL A-3			
24.	H /L	/								
SIGNED A H	Stuart Jews	TI	TLE	Area Manager		DATE JULY 1	2, 1985			
	eral or State office use)									
PERMIT NO.	,			APPROVAL DATE						
APPROVED BY			TLB	<u> </u>		DATH				

RATHERFORD UNIT	WELL NO. 17-42
EC. 17 , T 1.18	
ounty: San Juan	State: <u>Utah</u>
CATION 1980FN & 660FE	
EVATION 4677	:
EAXION TARIET	•



.CALF. INCHES EQUALS 1 MILE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTE OF ACTUAL SURVEYS MADE BY ME UNDER MY SUPER-VISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF!

Registered Land Surveyor
N.M. P.L.S. No. 8466
Feb. 26

RATHERFORD UNIT #17-42

Supplement to Form 9-331C "Application for Permit to Drill, Deepen, or Plug Back."

DRILLING PROGRAM

 Surface formation is the Dune Sand, which consists of loose windblown sand, age-recent.

Estimated tops of geologic markers:

Shinarump						٠	•	•	•	•	٠	•	•	•	2334'
DeChelly			•							•	•		•	•	2620'
Hermosa								•		•	•	•	•	•	4499'
Desert Cre	e	k :	Zo	ne	Ι								•		5483'

- 2. Brackish water-bearing sands are expected in the Navajo, Wingate, and DeChelly formations. Oil is expected to be encountered in the Ismay and Desert Creek formations. The top of cement will be approximately at 2000'.
- 3. Blow-out preventers will be 10" Series 900 equipment to be tested initially to 3000 psi. They will be inspected and operated daily and pressure tested weekly to 1500 psi. Weekly pressure tests will be supervised by representatives of Phillips Oil Company and the drilling contractor. Tests will be recorded on the daily drilling report which will remain on the rig floor during drilling operations. BOP tests will be conducted in accordance with Phillips standards, copy attached.
- 4. a. Proposed Casing Program:
 - 1. Conductor casing:

100' 13-3/8" 48#/ft H-40 ST&C new

2. Surface casing:

1600' 9-5/8" 36#/ft K-55 ST&C new Surface casing will be tested to 1500# before drilling out.

3. Production casing:

5500' 7" 23# & 26#/ft K-55 ST&C new Production casing will be tested to 3000#.

b. Proposed Cementing Program:

1. Conductor Casing:

Conductor casing will be cemented with 150 sks (175 cu. ft.) Class B cement. Cement will be brought to surface.

2. Surface Casing:

Surface casing will be cemented with 300 sks (1000 cu. ft.) "light" cement followed with 300 sks Class B cement. Cement will be brought to surface.

3. Production casing:

Production casing will be cemented with "light" cement followed with Class B cement. For cement volume, (1500 cu. ft.) caliper will be used with 15% excess. The top of the cement should be around 2000'. If other zones with hydrocarbon potential are encountered, they will be covered with cement.

c. Auxiliary Equipment:

Auxiliary equipment will include upper and lower kelly cocks, a drill string safety valve, and a pit level indicator.

5. Drilling Fluid:

Drilling fluid will be a fresh water based mud system. Spud mud is gel and water with a weight of 8.4-8.8 ppg. From the surface to approximately 1600', gel and water will be used. Mud weight may be up to 9 ppg to control water flow from the Wingate formation. A slurry of 8.6-9.5 ppg, 32-38 viscosity, and less than 15cc/30 min. water loss will be used from 1600'-5200'. Mud weight may be increased to 10.4 ppg if a water flow is encountered. From 5200' to total depth mud properties will be 10.5-12.5 ppg, 40-45 viscosity, and below 10 cc water loss.

Adequate quantities of mud materials will be stored at the location to equal the volume of the rigs complete circulating system. A flow sensor will be used.

6. Testing, logging, and coring:

The logging program will consist of DLL, MSFL, GR, SP, and Caliper from T. D. to the surface casing. A FDC/CNL and a Micro-proximity log will be run from T. D. to 4300'. A temperature or cement bond log will be run to determine cement top. No coring or drill stem tests are planned.

7. Downhole Conditions:

Drilling in the area indicates no abnormal pressures, temperatures, or hydrogen sulfide gas.

8. Phillips anticipates starting operations in the third quarter of 1985. Drilling operations are estimated to take fifteen days per well.

CULTURAL RESOURCE REPORT

Division of Conservation Archaeology has prepared a cultural resource inventory of the subject wellsite. A copy of the report has been sent to the BLM Farmington office. Pertinent information regarding the subject well is attached.

SURFACE USE PROGRAM

1. Existing Roads

- a. Access to existing lease roads is approximately 5 miles south of Montezuma Creek, Utah.
- b. The existing roads will be maintained in the same or better condition.
- c. Refer to the attached access road map for road information.

2. Access Roads

Planned upgrading of existing access roads is shown on the attached map.

3. Location of Existing Wells.

Locations of existing wells are shown on the attached maps.

4. Production from the proposed well will be piped to Ratherford Unit Tank Battery #1, located in the SW SW Sec. 16-T41S-R24E San Juan County, Utah. The flowline will be visible from the existing lease roads. A plat of the proposed leadline is attached.

Water Supply

- a. The source of water to drill the subject well is from the River Booster, NE/4 Sec. 5., or from the Water Injection Plant, SE/4 Sec. 17 in T41S-R24E, San Juan County, Utah.
- b. The drilling water will be trucked from the water source to the subject well.
- c. A water supply well will not be drilled on the lease.

6. Construction Materials

- a. Only native soils will be used for construction of wellsite and the access road.
- b. Pit run rock will be used on the wellsite and access road when needed.
- c. The above materials are owned by the Navajo Tribe.

7. Waste Disposal

- a. Cuttings: Cuttings will be contained in a fenced reserve pit until dry enough to cover. Upon abandonment, the reserve pit area will be backfilled, shaped to natural topography, and seeded.
- b. Drilling Fluid: Drilling fluid will be contained in a fenced reserve pit until dry enough to cover. Upon abandonment, the reserve pit area will be backfilled, shaped to natural topography, and seeded.
- c. Garbage/Trash: All garbage and trash will be put in the burn pit. The burn pit will be fenced on four sides. After the burn pit is no longer in use, the trash and garbage will be covered with a minimum of 4 feet of fill.
- d. Salt: No salts are anticipated on this well. If salt is present, it will be disposed of in the reserve pit.
- e. Chemicals: Chemicals will be disposed of in the reserve pit.
- f. Sewage: Dry chemical toilets will be used.

8. Ancillary Facilities

No ancillary facilities are required.

9. Well Site Layout.

- a. Refer to attached Rig Layout plat
- b. There are no plans to line the reserve pit unless porous soil materials are encountered during construction.

10. Surface Reclamation Plans

- a. Construction Program: The top 8 inches of surface material will be removed and stockpiled. A cross section of the drill site showing cuts and fills is attached.
- b. Well Abandonment: All disturbed areas will be shaped to the natural topography and seeded in accordance with BLM requirements.

- c. Producing Well: Those areas not needed for production purposes will be recontoured to the surrounding topography. Seeding will be in accordance with BLM requirements.
- d. Pipelines and flowlines: Flowlines will be above ground and follow or be visable from existing roads.
- e. Rehabilitation will begin as soon as possible, considering weather and other factors, and proceed per recommendation of the BLM. The reserve pit will be reclaimed once it dries.
- 11. Surface Ownership: The wellsite location, access road and leadline are on the Navajo Indian Reservation. No dwellings are in the proposed drilling area.
- 12. Other information:

The reserve pit will be lined if needed to contain drilling fluids. The reserve pit will be fenced on three sides during drilling and on the fourth side after the rig is moved out.


- 13. Operator's Representative and Certification.
 - a. Field Representative:


A. E. Stuart P. O. Box 2920 Casper, Wyoming 82602 307-237-3791


I hereby certify that I or persons under my direct supervision have inspected the proposed drill site and access route; and I am familiar with the conditions which currently exist; that the statements made in this plan are to the best of my knowledge true and correct; and that the work associated with operations proposed herein will be performed by Phillips Oil Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of the 18 U.S.C. 1001 for the filing of a false statement.


Date July 12, 1985


A. E. Stuart Area Manager












Teatherford Unit # 17-42 SENE Sec 17 T415- RZ4E



Outline of Location Approximately 300' x 350'

BLIND RAMS

- ALVE
 PE GATE VALVE
 PE CHOKE LINE TO MANIFOLD
 PE GATE VALVES

- 3" PE KILL LINE 3" SE OR PE GATE VALVE WITH MEEDLE

Pigure 7-10. Standard Hydraulic Blowout Preventer Assembly (2 M or 3 M Working Pressure) Alternative 3 (without Drilling Spool)

Well Control 4 January/83

PHILLIPS PETROLEUM COMPANY

Page 251 Section II

FIELD PRACTICES AND STANDARDS

7.6 Testing Surface Blowout Preventer Buigment

7.6.1 Pressure Test Frequency

All rams, annulars, valves, choke and kill lines, choke manifold, kelly cocks, and safety valves shall be pressure tested at the following frequencies:

- (1) Initial installation of blowout preventers.
- (2) After setting casing, before drilling cement.
- (3) Every 7 days or on first trip out of hole after 7 days since previous pressure test.
- (4) After any component of the blowout preventer assembly is disturbed, replaced or repaired (this includes lines, valves, or choke manifold). In this case, the component changed may be the only component tested.
- (5) Prior to conducting first drill stem test in a series of one or more DST's.
- (6) Any time the Phillips Wellsite Supervisor deems necessary, such as prior to drilling into suspected high pressure zones.

· FIELD PRACTICES AND STANDARDS

7.6.2 Punction Test Prequency

All rams, annulars, valves, and other items specified below, shall be function tested at the following frequencies.

- (1) On initial installation from driller control and remote panel.
- (2) Each trip out of hole alternating between driller's and remote control panel but not more than once every twenty-four (24) hours. Close pipe rams or annular preventer CNLY on drill pipe.

7.6.3 Test Pressures

Use the following table to identify which test is appropriate and at what pressure.

Test	DESCRIPTION
Low Pressure	Test to 200-300 psi prior to each high pressure test.
Initial Installation	Test all rams, annulars, valves, choke manifold, kelly cocks, and safety valves to the lesser of the following pressures.
	 Rated working pressure of the component in the blowout preventer assembly with the exception of annular preventer which is to be tested to 70% of the rated working pressure.
	. The API rated casing burst pressure of the last casing to be utilized in the well with the BOP assembly being tested.
	. Rated working pressure of the casing head.
	. If "Cup Tester" is used do not exceed 80% of the API rated burst pressure of the casing.
Repair	Repaired or replaced components are to be tested to the same pressures used in the Initial Test.

FIELD PRACTICES AND STANDARDS

. .

. . :

7.6.3, cont'd

TEST	DESCRIPTION
Weekly and After Setting Casing	Test all rams, annulars, valves, choke and kill lines, choke manifold, kelly cocks, and safety valves, to the lesser of the following pressures.
•	. 50% of the rated working pressure of the component to be tested.
	. 80% of the API rating of the casing burst pressure then in the well.
	. Test blind rams during internal casing pressure test. (Refer to drilling program for test pressures).
DST Operations	Test all pipe rams, annular preventers, valves, choke and kill lines, choke manifold, kelly cocks, and safety valves to the maximum anticipated surface pressure expected while conducting drill stem tests. Do not test annular to more than 70% of its working pressure.
Shallow Casing	Where cased hole is less than 2000 feet measured depth, the test pressure may be 1.5 psi per foot of casing depth, not to exceed 80% of the API rated burst pressure. In the case of shallow conductor casing or drive pipe (500 feet or less) that is equipped with one BOP, then the test pressures do not need to exceed 1.0 psi per foot of casing depth.
Accumulator	Test accumulator to the manufacturer's rated working pressure. Test the accumulator for time to pump up to specifications.

7.6.4 Blowout Preventer Test Practices

(1) All pressure tests shall be witnessed by Phillips' Representative and the Contractor's Senior Supervisor on Location. All tests shall be recorded on the Phillips' Daily Drilling Report, the IADC Report and the BOP Test Form; see Figure 7-13. A reproducible copy of the BOP Test Form (Figure 7-13) can be found in Section III.

'FIELD PRACTICES AND STANDARDS

7.6.4, cont'd

- (2) Hold'all low pressure tests for three minutes and high pressure tests for five minutes or until Phillips Representative and the Contractor's Senior Supervisor are satisfied no leaks exist.
- (3) A detail procedure for the testing of blowout preventer and choke manifold equipment will be included in the drilling programs. The procedure is to be distributed for each drilling unit under contract by the operating office. Each operating office must include the following practices:
 - a. Prior to testing, all lines and valves will be thoroughly flushed to ensure the system is clear. Test all opening and closing control lines to 1500 psi and inspect for leaks.
 - b. If necessary, run a stand of drill collars below the test plug to prevent unseating the test tool during testing.
 - c. All precautions must be taken to avoid pressuring the casing below the test tool.
 - d. The running string is to be full of water (or antifreeze solution) for immediate indication of test tool leakage.
 - e. All pipe rams, blind/shear rams, blind rams, annular preventers, valves, fail-safe valves, choke and kill lines are to be tested at the frequencies and pressures outlined in this section.
 - f. Drill pipe safety valve, lower and upper kelly cocks are to be tested from below at pressures and frequencies outlined in this section.
 - g. All test fluids are to be bled back to the pump unit in safe manner.

7.6.5 Testing Wellhead Pack-offs

The wellhead pack-off is to be pressure tested upon installation for five minutes. Test pressure is to be 80% API rated casing collapse or the rated working pressure of the casing head whichever is the lesser. Casing annulus valve(s) must be in open position to prevent casing collapse during pack-off testing.

When testing the wellhead pack-off, use recorded test pressures and volumes to determine if pack-off is leaking. Pressure should be immediately released at the first indication of a leak.



FIELD PRACTICES AND STANDARDS

7.6.6 Safety Precautions

One pumping unit operator is to be stationed at the high pressure pumping unit, and is to remain at this station until all testing has been completed. The pump unit operator is to be in continuous communication with the person who is recording the test data. The Phillips Wellsite Supervisor and Contractor's Senior Supervisor on location will be the only personnel who will go into the test area to inspect for leaks when the equipment involved is under pressure. The rig crews are to stay clear of the area until such time that both the Phillips Wellsite Supervisor and the Contractor's Senior Supervisor have contacted the pumping unit operator and all three have agreed that all pressure has been released, and there is no possibility of pressure being trapped. The rig crews may then go into the area to repair leaks or work as directed.

All lines, swings, and connections that are used in the testing of the blowout preventers are to be adequately secured in place.

Pressure is to be released only through the pressure release lines that are vented back into the pump unit tanks. The lines are to be clamped down to direct the flow into unit tanks.

Project No. 19-85-C BIA DCA-85-187 NAO-BIA Use Authorization No. 84-DCA-013-1 (Navajo) Navajo Nation Permit No. 84-22

State of Utah No. U-84-3

An Archaeological Survey of 17 Well Pads and Their Access Routes and Pipelines near White Rock Curve Village, San Juan County, Utah

for

Phillips Petroleum Company

	Ratherford	Unit:
1-14	12-21	17-31
7-11	12-32	17-42
7-13	12-43	18-22
7-22	16-13	18-31
7-44	17-11	18-42
12-12	17-22	

bу

Roger A. Moore and Timothy M. Kearns Supervisory Archaeologists

Submitted by

Margaret A. Powers Principal Investigator

DIVISION OF CONSERVATION ARCHAEOLOGY

Contributions to Anthropology Series, No. 963 San Juan County Archaeological Research Center and Library Project No. 19-85-C BIA DCA-85-187 NAO-BIA Use Authorization No. 84-DCA-013-1 (Navajo) Navajo Nation Permit No. 84-22

State of Utah No. U-84-3

An Archaeological Survey of 17 Well Pads and Their Access Routes and Pipelines near White Rock Curve Village, San Juan County, Utah

for

Phillips Petroleum Company

Rat	herford U	nit:
1-14	12-21	17-31
7-11	12-32	17-42
7-13	12-43	18-22
7-22	16-13	18-31
7-44	17-11	18-42
12-12	17-22	

bу

Roger A. Moore and Timothy M. Kearns Supervisory Archaeologists

Submitted by

Margaret A. Powers Principal Investigator

DIVISION OF CONSERVATION ARCHAEOLOGY

Contributions to Anthropology Series, No. 963 San Juan County Archaeological Research Center and Library

ABSTRACT

On April 4-10 and 12, 1985, the Division of Conservation Archaeology of the San Juan County Museum Association completed an archaeological survey of 17 well pads and their access routes and pipeline tie-ins for Phillips Petroleum Company. The survey area is located in the Ratherford Unit, north of White Rock Curve Village, San Juan County, Utah and is under the jurisdiction of the Bureau of Indian Affairs (BIA) and the Navajo Nation. A total of 131.02 acres was surveyed.

Six archaeological sites and 34 isolated loci were found and recorded. The documentation of the isolates in the field has exhausted their research potential. Archaeological clearance is recommended with the following stipulations that 1) the revised locations for wells 7-44 and 12-12 be used; 2) the pipeline be laid within the existing bladed road within site DCA-85-13; and 3) the access road to well 18-22 follow the new flagged route which avoids site DCA-85-10.

INTRODUCTION

On April 4-6, and 19, 1985, the Division of Conservation Archaeology (DCA) of the San Juan County Museum Association conducted an archaeological survey for Phillips Petroleum Company of Cortez, Colorado. Jon Weichbrodt requested the survey on March 27, 1985 and administered the project for Phillips Petroleum Company. Margaret A. Powers administered the project for DCA.

In recognition of the limited, nonrenewable nature of archaeological remains, the federal government has enacted legislation that is designed to conserve and protect these resources. The principal legislation includes the Antiquities Act of 1906 (PL 52-209), the Historic Preservation Act of 1966 (PL 89-665), the National Environmental Policy Act of 1969 (PL 91-852), the 1971 Executive Order No. 11593, the Archaeological and Historical Conservation Act of 1974 (PL 93-291), and the Archaeological Resources Protection Act of 1979 (PL 96-95). In addition, the states of Arizona, New Mexico, Utah, and Colorado have enacted laws to ensure compliance with federal legislation and to protect archaeological resources within their jurisdiction. Work undertaken in the course of this project is intended to comply with these statutes and is governed by the stipulations of NAO-BIA Use Authorization No. 84-DCA-013-1, Navajo Nation Permit No. 84-22, and State of Utah Permit No. U-84-3.

Roger A. Moore and Timothy M. Kearns, DCA archaeologists, surveyed the project area for cultural remains. Anthony Klesert (Coordinator of the Navajo Nation Cultural Resource Management Program) and Mark Henderson (Bureau of Indian Affairs Navajo Area Archaeologist) were notified of the survey schedule before fieldwork began. Jon Weichbrodt of Phillips Petroleum Company accompanied the archaeologists during part of the fieldwork.

METHODS

The area was surveyed by walking parallel transects 15m apart across the well pads, and a single zigzag transect along the access routes and pipeline right-of-ways. A buffer zone 50 to 100 ft wide (depending on amount of cut and fill for a pad) was included in well surveys, and 20 ft was added to each side of the access routes and pipeline right-of-ways. The archaeologists recorded all cultural remains. Those whose information potential exceeded what could be extracted during the survey phase were assigned site status. Other cultural remains were documented as isolated loci (IL). Pertinent environmental data were also recorded.

In addition to field inspection, the archaeologists conducted a search of the records at the Division of Conservation Archaeology, San Juan College, and the Utah Division of State History to determine if any sites had been recorded in the project area. Site and project records required by the BIA and the Utah Division of State History were completed.

GENERAL DISCUSSION

The areas surveyed are within the Phillips Petroleum Company Ratherford Unit on and around Flat Top Mountain, north of White Rock Curve Village, San Juan County, Utah. Table 1 contains the legal descriptions; Table 2 defines the areas surveyed. The legal descriptions of the project areas are referenced to the Salt Lake City Meridian; the project areas are on the USGS 7.5' Aneth 3 NE, Utah (Blueline) (1962) quadrangle map. The map showing all the well locations and right-of-ways is Figure 1. The legal descriptions and artifact descriptions for the isolated loci are in Table 3.

In the discussion of well pads, access, and pipeline right-of-ways the term "access route" will refer to the route to be constructed between the well pad and an existing bladed or paved road. The term route is used because it is just that, a proposed route, not an existing road. Unless otherwise stated, the pipeline will follow the same right-of-way from the pad as the access route. The term "road" refers to an existing feature.

Topography

Flat Top Mountain is a large mesa rising above the San Juan Valley south of the San Juan River. It is surrounded by a gently sloping upland valley. This part of the valley resembles a broad bench of a mesa; most of it is covered by stable and semistable dune fields and cut by several deep washes. The principal washes traversing the project area are Blue Hogan Wash and Desert Creek.

The top of Flat Top Mountain is capped by the Brushy Basin Member of the Morrison Formation. A gray to light gray-green chert and a silty chert occurs on this surface. The base of Flat Top Mountain is composed of the Westwater Canyon Member of the Morrison Formation. The surface bedrock of the upland valley surrounding the mountain consists of the Recapture Member of the Morrison Formation. This member is made of "reddish-gray, white, and brown fine- to medium-grained sandstone characterized by dark- and light-colored grains; interbedded reddish-gray siltstone and mudstone" (Haynes, et al. 1972).

Vegetation

The vegetation on Flat Top Mountain is a shadscale community which varies in density from 10-35 percent ground cover. Vegetation includes shadscale (<u>Atriplex confertifolia</u>), snakeweed (<u>Gutierrezia sarothrae</u>), Indian ricegrass (<u>Oryzopsis hymenoides</u>), prickly pear cactus (<u>Opuntia sp.</u>), and fishhook cactus (<u>Mamillaria sp.</u>).

The dune field below Flat Top Mountain is covered principally by a desert scrub community. This community is dominated by one or more of the following: two-scale Mormon tea (Ephedra viridis), narrowleaf yucca (Yucca angustissima), snakeweed, rabbitbrush (Chrysothamnus nauseosus), or Indian ricegrass. Other plants common to this community include galleta grass (Hilaria jamesii), prickly pear cactus, barrel cactus (Ferocactus sp.), and wolfberry (Lycium sp.). The ground cover varies from 5 to 25 percent.

Table 1 (Cont.)
Legal Description for Well Pads

	LEGAL DESCRIPTION							UTM COORDINATES						
Well								Cente	r of Well	Pad	End	of Access	oute (pipe	line)
Pad No.	AFE #	T	R	Sec.	1/4	1/4	1/4	Zone	Northing	Easting	Zone	Northing	Easting	
12-43	POC-R249	41S	23E	12	N 1/2	N 1/2	SE	12	4122225	647800	12	(4122450	647150)	
16-13	POC-R248	418	24E	16	W 1/2	nw Sw	SW SW	12	4120475	651450	12	4120400 (4119850	651500 651250)	
17-11	POC-R247	418	24E	17	SE E 1/2	NW NE SE	NW NW NW	12	4121100	649850	12	4121000 (4120650	649925 650450)	
17-22	POC-R246	418	24E	17		SE	NW	12	4120875	650200	12	(4120650	650450)	
17-31	POC-R245	41 S	24E	17	NW E 1/2 E 1/2	NW NE SE	ne nw nw	12	4121275	650625	12	4121400 (4120650	650450 658450)	4
17-42	POC-R244	418	24E	17 16	E 1/2 E 1/2 W 1/2	SE NE W 1/2	NE SE SW	12	4120875	651025	12	4120850 (4119850	651100 651250)	
18-22	POC-R243	415	24E	18	SE	SE	NW	12	4120750	648680	12	4120575 (4120575	648750 648750)	
18-31	POC-R242	415	24E	18	W 1/2 E 1/2 E 1/2	NW NE SE S 1/2	ne nw nw ne	12	4121200	649000	12	4121225 (4120575	648750 648750)	
18-42	POC-R241	418	24E	18	s 1/2	SE	NE	12	4120750	649375	12	(4120575	648750)	

*N 1/2 SW 1/4 SE 1/4 S 1/2 NE 1/4 SW 1/4

Table 2 (Cont.)
Area Surveyed

Well Pad No.	AFE #	Footages for Well	Well Pad ¹	Access Route ¹	Pipeline ¹	Acres
17-22	POC-R246	1882' F/NL 1910' F/WL	300' x 350' (400' x 450')	450' x 20' (450' x 60')	500' x 20' (500' x 60')	5.44
17-31	POC-R245	500° F/NL 1980° F/EL	300′ x 350′ (400′ x 450′)	600' x 20' (600' x 60')	900' x 20' (900' x 60')	6.20
17-42	POC-R244	1980' F/NL 660' F/EL	300' x 350' (400' x 450')	90' x 20' (90' x 60')	2700' x 20' (2700' x 60')	7.98
18–22	POC-R243	2200° F/NL 2210° F/WL	300° x 350° (400° x 450°)	600' x 20' (600' x 60')	****	4.96
18-31	POC-R242	795° F/NL 2090° F/EL	300' x 350' (400' x 450')	600' x 20' (600' x 60')	4300' x 20' (4300' x 60')	10.88
18-42	POC-R241	2120° F/NL 745° F/EL	300' x 350' (400' x 450')	50' x 20' (50' x 60')	2000' x 20' (2000' x 60')	7.00

¹Top numbers are size of project areas Numbers in parenthesis are actual area surveyed with buffer zone

^{*}These footages represent the original staked location. They will be revised as per the recommendations.

Cultural Resources: Three isolated loci (Table 3) were noted in the vicinity of the access road and pipeline. All were located while checking alternate routes for the flow line. IL 21 is a utilized secondary flake of white cherty siltstone; IL 22 is a light gray-green chert core that may have been utilized; and IL 23 is a tertiary flake of light gray chert. ILs 21 and 22 are east of the flagged access road and north of the existing bladed road. IL 23 is along the west side of the bladed road that leads to the electrical complex.

Recommendations: Archaeological clearance is recommended.

Well 17-31

The proposed well pad is on a low dunal ridge in the upland valley dune field. A large bedrock outcrop lies about 200 ft northwest of the pad. The scrubland community provides about 20 percent cover dominated by snakeweed and grasses. From the northwest side of the pad the access route and pipeline runs 600 ft northwest to a bladed dirt road. From here the pipeline follows the south side of the bladed road southwest 900 ft to a "T" intersection where it ties into the 17-11 pipeline right-of-way.

Cultural Resources: Three prehistoric isolated loci were found. One (IL 24), a flake, is 40 ft from the on the access route, one (IL 25), a scraper, is near the center of the north edge of the pad, and one (IL 26), a flake, is in the north buffer zone. IL 24 and 25 are made from the green clayey chert which is present in the bedrock outcrop 200 ft northeast of the pad. The occurrence of these artifacts and the nearby source of lithic material indicate that there is probably a site somewhere nearby.

Recommendations: Archaeological clearance is recommended.

Well 17-42


The proposed well is on a gently rolling dune field. The scrubland community provides about 15 percent cover dominated by Mormon tea and Indian ricegrass. From the northeast of the pad, the access route travels east about 90 ft to the paved highway. The pipeline crosses the highway and runs south about 1900 ft parallel to the east side of the highway. It follows the north side of a bladed dirt road east 800 ft, then follows the pipeline right-of-way for well 16-13 south to the tank battery.

Cultural Resources: No sites or isolated loci were found.


Recommendations: Archaeological clearance is recommended.

Well 18-22

This proposed well pad is situated on a relatively flat bench at the base of the steep talus slope on the south side of Flat Top Mountain. The bench is characterized by sandstone outcrops, sheet sand, and sand dunes. A steep slope of silty clay borders the bench on the north and a deeply entrenched wash lies to the south. The sparse scrubland floral community includes



DIVISION OF CONSERVATION ARCHAEOLOGY



April 19, 1985

Mr. Jon Weichbrodt Phillips Petroleum Company P.O. Box 1150 Cortez, Colorado 81321

Re: BIA DCA-85-187

Dear Mr. Weichbrodt:

Our report on the archaeological survey of 17 well pads, access roads and pipeline right-of-ways in the Ratherford Unit, San Juan County, Utah is enclosed. Six sites and 34 isolated loci were found.

We have recommended clearance for all 17 locations (with stipulations for wells 7-44, 12-12 and 18-22 (see report for details)). Wells 7-24 and 7-33 require further treatment of archaeological sites and will be submitted in a separate report so they will not delay construction of the others.

The Bureau of Indian Affairs will review this report and make the final decision on archaeological clearance for your project. The Bureau of Indian Affairs in Window Rock should notify the Real Property Management office of the Shiprock Bureau of Indian Affairs of its decision.

An invoice will follow. We have enjoyed working with you and hope we can be of service again. If you have any questions, please call us. We will be happy to help you.

Sincerely,

Roger A. Moore

Supervisory Archaeologist

cc: Mark Henderson, BIA, Window Rock (6) State Historic Preservation Office, Salt Lake City

APPL ATION TO APPROPRIA WATER STATE OF UTAH

NOTE:—The information given in the following blanks should be free from explanatory matter, but when necessary, a complete supplementary statement should be made on the following page under the heading "Explanatory."

For the purpose of acquiring the right to use a portion of the unappropriated water of the State of

Utah, for uses indicated by (X) in the proper box or boxes, application is hereby made to the State Engineer, based upon the following showing of facts, submitted in accordance with the requirements of the Laws of Utah. 1. Irrigation ☐ Domestic ☐ Stockwatering ☐ Municipal ☐ Power ☐ Mining ☑ Other Uses ☐ 2. The name of the applicant is PHILLIPS PETROLEUM COLPANY 3. The Post Office address of the applicant is Bartlesville, Oklahoma
4. The quantity of water to be appropriated is second-feet of second-feet or.....acre-feet January 1 to December 31 5. The water is to be used for See Explanatory from (Month) (Day) (Month) (Day) (Major Purpose) ...from. other use period. (Month) (Month) (Day) (Minor Purpose) and stored each year (if stored) from (Month) 6. The drainage area to which the direct source of supply belongs is..... (Leave Blank) 7. The direct source of supply is* Underground water and subsurface flow of San Juan River · · · · m or other source) which is tributary to ... Colorado River - butary to..... *Note.—Where water is to be diverted from a well, a tunnel, or drain, the source should be designated as "Underground Water" in the first space and the remaining spaces should be left blank. If the source is a stream, a spring, a spring area, or a drain, so indicate in the first space, giving its name, if named, and in the remaining spaces, designate the stream channels to which it is tributary, even though the water may sink, evaporate, or be diverted before reaching said channels. If water from a spring flows in a natural surface channel before being diverted, the direct source should be designated as a stream and not a spring a stream and not a spring. San Juan 9. The diverting and carrying works will consist of See Explanatory 10. 'If water is to be stored, give capacity of reservoir in acre-feet height of dam...... height of dam..... area inundated in acres legal subdivision of area inundated ______ 11. If application is for irrigation purposes, the legal subdivisions of the area irrigated are as follows: . 12. Is the land owned by the applicant? Yes..... No..... If "yes," identify other water rights under explanatory. 14. If application is for power purposes, describe type of plant, size and rated capacity..... oil field XXXX where the following ores are mined oil and gas 16. If application is for stockwatering purposes, number and kind of stock watered..... 17. If application is for domestic purposes, number of families to be served...... 18. If application is for municipal purposes, name of municipality 19, If application is for other uses, include general description of proposed uses..... 20. Give place of use by legal subdivision of the United States Land Survey for all uses described in paragraphs 14 to 19, incl....... See Explanatory...... and _____ second feet will be returned to the natural stream or source at a point described as follows:

POOR GOPY

Page No. 2	EXPLANATORY	
The following additional fa posed application:		ne more clearly the full purpose of the pro-
	<u>ITEM ></u>	
water will be injected t	pumped from the diversion under pressure through deamaintenance and secondary	area to the oil field where the pp wells into the petroleum-bearing
		recovery purposes.
The point or points	For diversion from the so	from that point at which the
south bank of the river	Chaime lutersects the en	est line of Section 5, T41S, R24E,
to that point at which to of Section 5, T41S, R24E	the South bank of river ch	annel intersects the North line
		
drilled in the allowed	rom one or more wells or	infiltration galleries to be
river channel as is prac	tical within the east-wes	close to the South bank of the t limits as above defined.
Specific location and nu	mber : diversion points	will be determined by a hydrographic
survey and/or producing	Characteristics of wells	to be drilled. The aggregate with-
drawal, the rate of will	h is not to exceed that s	pecified in this application, with
<u>e میرسید اed in a conve</u>	yance <u>work</u> s d <u>escribed in 1</u> ITEM 9	creater letail herein.
The diverting and c	arrying works will consist	t of 12-1/4" diameter wells, cased
with 35 to 50 feet of 8-	5/8 inch outside diameter	pipe to be drilled to depths of
from 35 feet to 50 feet	and about it, NO feet of	io-3 , inch conveyance pipe to
places of use.	# · ·	
Township /	ITEM 20 1 South, Range 23 East, SI	and the second s
S/2 Sec. 1: SE// Sec. 2:	F/2 Sec. 114 (11 3-1)	All Sec. 13, E/2 Sec. 14, NE/4
Sec. 24.	2/2 bee. 11, All Sec. 12;	RII Sec. 13, E/2 Sec. 14, NE/4
	l South, Range 24 East, SI	
All Sections 3, 4, 5, 0,	7, 8, 9, 10; W/2 Sec. 11,	
17, 18, 19, 20, 21; NW/4	, W/2 SW/4 Sec. 22; W/2 IE	1/4,/4, W/2 SW/4 Sec. 28; All
Sections 29, 30; N/2 Sec.	31; N/2 Sec. 32.	
Said described lands	, which we in san Juan C	county, Utah, constitute the
Ratherford portion of the	Greater Aneth Area oil f	ield.
	Con	tinued on page 4
	(Use page 4 if additional explanatory	
The quantity of	water sought to be appropriated beneficially used for the purpose l	lis limited to that which
	PHILLI	PS PETROLEUM COMPANY
	p >	18 A. + . ON
	By: <	Signature of My licant
 If applicant is a corporation or copy its proper officer, or in the name of the listed. If a corporation or partner a power of attorney, authorizing one 	ship the efficient but	the name of such corporation or or white tion ners, and the names of the other partners shall
	DECLARATION OF CITIZE	NSHIP PARTY
STATE OF UTAH,		n mann man. A

On the	who, on eath, declared that he is a citizen of the United States,
My commission expires:	•

4

FEES FOR APPLICATIONS TO APPROPRIATE WATER IN UTAH

Flow rate -c.f.s.	• •	Cost	A Company of the Comp
0.0 - to	0.1	10.00	A RESTOR
over 0.1 to	0.5	20.00	
over 0.5 to	1.0	30.00	
over - 1.0 to	15.0	30.00	plus \$5/cfs above 1.00 cfs. 1,10
over 15.0		100.00	plus \$5/cfs above 1.00 cfs.
Storage — acre-fee	et		#.ISE
0 to	20	15.00	(110)
over 20 to	500	30.00	
over 500 to	7500	30.00	plus \$5/500 a. f. above first 500
over 7500	***************************************	100.00	

(This section is not to be filled in by applicant)
16.6 a
1 Feb. 27 100 Application received by mail over counter in State Engineer's office by
2Priority of Application brought down to, or account of
3. 12:- 27.1741 Application fee, \$4555 , received by Rec. No.02245
4. Miaure, 196/Application conselled book 1/10.3.2. page 3.5.7., and indexed by 15. Tomas
5. Application platted by A. A. M. Application platted by A. A. M. Application platted by A.
aac-(s)abd-()ubit-())abd()abc()abc()abc()bud
6. Upil 1.1961. Application examined by 1116
7. Application returned, or corrected by office
7
8Corrected Application resubmitted by mail to State Engineer's office.
9. (19x 17, 1961 Application approved for advertisement by 1116.
and the state of t
11 Prese 29 196/Publication began: was completed ruly 13.1961
Notice published in have hear Record monticello Tela
11. June 27, 196/Publication began; was completed July 13, 196/ Notice published in June Harry monticello, 7els 12. June 27, 196/Proof slips checked by July 14.
13 Application protested by
132Application protested by
July 25, 1961. Fullated paid 75 2 2 - 1016. 2027. 14. Hearing held by
15. Field examination by approval
17. Sept. 11, 196 Application copied or photostated by T.E. proofread by
18. Sept. 11, 1961Application approved rejected
19. Conditions:
This Application is approved, subject to prior rights, as follows: a. Actual construction work shall be diligentily prosecuted to completion
 a. Actual construction work shall be diligentily prosecuted to completion. b. Proof of Appropriation shall be submitted to the State Engineer's office byFeb28, 1963
c
C
Wayne D Criddle State Engineer.
20Time for making Proof of Appropriation extended to
21Proof of Appropriation submitted.
22
•
Application No. 3.2.2.7.3

••			• `	
P	8.8	N	٥.	•

EXPLANATORY CONTINUED

The year	of the applied for wares for the stands
	of the applied for water for the planned pressure maintenance
nd paconqury	recovery operations will permit the recovery of substantial
uantities of	oil and gas which would otherwise not be recovered.
•	
	
	•
	
	
· · · · · · · · · · · · · · · · ·	
	
	
	•
	
	•
• • • • • • • • • • • • • • • • • • • •	
·	
	•
	•
·	•
	

NOTICE TO APPLICANT

All waters in this state, whether above or under the ground, are the property of the public, subject to all existing rights to the use thereof. No appropriation of the unappropriated public water may be made and no rights to the use thereof shall be recognized except Application for such appropriation first be made to the State Engineer.

The approval of this Application is not a Certificate of Appropriation. It is merely your authority to begin construction work, which must be prosecuted diligently to completion. To secure a Certificate of Appropriation under this Application, Proof of Appropriation must be submitted within the time limit allowed by the State Engineer. The amount of water for which Certificate will be issued will depend upon the amount of water actually put to a beneficial use, not to exceed, however, the amount of water appointed in this Application. Proof of Appropriation must be made in accordance with the requirements of the law. For further information write the State Engineer.

October 13, 1961

AIRVAIL

Mr. Clair M. Senior
Senior & Senior
Attorneys at Law
10 Exchange Place
Salt Lake City, Utah

Re: Altern
for th

Dear Clair:

Ecrewith in triplicate is comple
Engineer for additional and alter
flood purposes in the Ratherford
handle this matter with the white
urge upon him the importance of the series of the se

Re: Alternate or Additional Source of Water for the Ratherford Unit, San Juan County, Utah

Herewith in triplicate is completed and signed application to the Utah State Engineer for additional and alternate points of diversion for water for water-flood purposes in the Ratherford Unit. I would appreciate it if you would handle this matter with the Water Engineer and, as diplomatically as possible, urge upon him the importance of expediting the matter as much as possible.

Having gotten these papers back from the Production Department too late to get a check for the filing fee, I would ask that you advance the fee and, upon being billed, I will send you the check.

If you need any additional information, please advise.

Very truly yours,

RMW:jd Enclosures

R. M. Williams

cc - Wr. Shofner Smith

Ligal

Application for Permanent Change of Point of Diversion, Place and Nature of Use of Water STATE OF UTAH

Do not fill out this blank until you have read carefully and thoroughly understand the "Rules and Regulations" on the back hereof and all the notes in the body of it.

For the purpose of obtaining permission to permanently change the point of diversion, place or nature of use (Strike out written matter not needed)
water right acquired by original Application No. 32773
(Give No. of Application, certificate of appropriation, title and date of Decree or other identification of right
to that hereinafter described, application is hereby made to the State Engineer, based upon the following showi
of facts, submitted in accordance with the requirements of the Laws of Utah.
1. The name of the applicant is Phillips Petroleum Company
2. The post-office address of the applicant is Bartlesville, Oklahoma
3. †The flow of water which has been or was to have been used in second-feet is
4. †The quantity of water which has been or was to have been used in acre-feet is
5. †The water has been or was to have been used each year from January 1 to December 31 (Month) (Day) (Month) Day)
6. †The water has been or was to have been stored each year from XX to XX (Month) (Day) (Month) Day)
7. The drainage area to which source of supply belongs is
(Leave blank) 8. The direct source of supply is Underground water and subsurface flow of Section 1.1.
in San Juan County.
9. †The point of diversion as described in the original Application or the point at which the water.]
been diversed if situated at A point S in Section 5, T. 41S., R. 24E as more parti-
cularly set out in the original Application No. 32773.
Cularly act out in the original approach not be a second
10. †The water involved has been or was to have been used for the following purposes:
Pressure maintenance and secondary recovery purposes
Total XX Acr
NOTE—If for irrigation, give legal subdivision of land and total acreage which has been or was to have been irrigated, for other purposes, give nature, place and extent of use or proposed use.
11. †The point at which water has been or was to have been returned to the stream channel is situated
follows:XX
NOTE—The above space is to be filled in only when all or part of the water is returned to the natural stream or channel
The Following Changes Are Proposed
12. The flow of water to be changed in cubic feet per second is No change
13. The quantity of water to be changed in acre-feet is XX
14. The water will be used each year from January 1 to December 31
(Month) (Day) (Month) (Day)
15. The water will be stored each year from XX (Month) (Day) (Month) (Day)
16. The point at which it is now proposed to divert the water is situated (See note)
NOTE—The "point of diversion," or "point of return," must be located by course and distance or by rectangular distant with reference to some regularly established United States land corner or United States mineral monument if within a distant of six miles of either, or if a greater distance, to some prominent and permanent natural object.
17. The proposed diverting and conveying works will consist of wells and conveyance pipe a
explained in original Application No. 32773
18. The cross-section of the diverting channel will be.
(Strike out ones not needed)
19. The nature of the diverting channel will be: seeth, wood, from concrete.


(Strike out the ones not needed)

Strike out written matter not needed.



OFFICE OF STATE ENGINEER SALT LAKE CITY

September 11, 1961



Phillips Petroleum Company Bartlesville, Oklahoma

Gentlemen:

RE: APPROVED APPLICATION NO. 32773

Failure on your part to comply with the requirements of the statutes may result in forfeiture of this application.

Eff q/15/6'
ADDRESS ALL COMMUNICATIONS TO:

Yours truly,

Wayne D. Criddle

STATE ENGINEER

STATE CAPITOL BUILDING SALT LAKE CITY, UPAH

Encl: Copyof approved application

APPLICATION APPROVED

NOTICE TO APPLICANT

The approval of this Application is not a certificate of change. It is merely your authority to begin construction work, which must be diligently prosecuted to completion. To secure a certificate of change under this Application proof of change must be submitted within the time limit allowed by the State Engineer. The amount of water for which certificate will be issued will depend upon the amount of water actually put to a beneficial use, not to exceed, however, the amount of water covered by the original right. For further information write the State Engineer.

RULES AND REGULATIONS

Applicants will save time and expense by familiarizing themselves with the law before making Applications.

If the reservoir is to be located on the channel of the source from which the water is to be appropriated, it should be so stated under explanatory, and—

- 1. The location of the impounding dam should be described in Paragraph 16.
- The point where the released storage will be rediverted from the natural stream should be described under explanatory
 in accordance with the note under Paragraph 16.

When the water is to be stored in other than the natural channel of the source from which it is to be appropriated, it should be so stated under explanatory, and—

- 1. The point of diversion from the supplying source should be described in Paragraph 16.
- 2. The intersection of the longitudinal axis of impounding dam and centerline of stream channel or drainage and a similar point where the released storage will be rediverted from a natural channel should be described under explanatory in accordance with the note under Paragraph 16.

In all cases Paragraphs 17 to 27, incl., should describe the proposed diverting and carrying works, exclusive of natural channels, even if already constructed in whole or in part.

If it is proposed to collect the water of a number of springs or other sources at a common point, said point should be described as the point of collection in Paragraph 16, and the point of diversion from each source should also be described under explanatory in accordance with the note in Paragraph 16. The quantity of water sought from each source should be indicated under explanatory, the total equaling the quantity specified in Paragraphs 12 or 13. Where the source of supply is in reality a spring area, the point of diversion is the point where the water is collected; in such case the exterior boundary of the spring area must be described under explanatory by metes and bounds and located with reference to the same point as used in describing the point of collection and as outlined by the note under Paragraph 16.

No enlargement of an original water right may be made by a change Application, either as to quantity of water covered, period of use or otherwise.

When there are two or more coapplicants the Application must be accompanied by a power of attorney.

The applicant's permanent address should be given in Paragraph 2, and the State Engineer notified promptly of any change in address; otherwise applicant may lose rights initiated by Application by failing to receive notices sent from the State Engineer's office.

No Application or other paper pertaining to an Application will be marked received unless accompanied with the required filing fee.

Applications accepted and numbered by the State Engineer, when returned to applicant for correction or additions, must be amended with red ink. Erasures must not be made, but any matter may be eliminated by running a red line through it. Corrected Applications must be resubmitted to the State Engineer's office, within sixty days from the date of State Engineer's letter returning Application for correction; otherwise the priority of the right to change will be brought down to date corrected Application is resubmitted.

Applicants will be informed by the State Engineer's office when cost of publishing notice of Application is due, and must advance cost within sixty days after date of notice, otherwise Application will lapse.

Fees Required by Law Payable to State Engineer

_
For examining and filing Applications for change of point of diversion, place and nature of use\$2.50
For approving and according Australia
For approving and recording Applications for change of point of diversion, place and nature of use\$2.50
For filing written proof of change
For filing written proof of change
For examining many profiles and described to
For examining maps, profiles and drawings that are part of the proof of change
For issuing certificate of shares
For issuing certificate of change
NOTE—In addition to the state of the state o

NOTE—In addition to the above fees applicants must pay the cost of publication of "Notice to Water Users" concerning the

20.	The length of the diverting channel, exclusive of laterals, will be. 15,000 (If an existing channel is used give only the length of that part used under this Application feet
21.	
22.	The top width of the diverting channel will be (if a ditch). XX The bottom width of the diverting channel will be (if a ditch). XX
23.	The bottom width of the diverting channel will be (if a ditch)
24.	The depth of water in the diverting channel will be (if a ditch) XX The width of diverting channel will be (if a ditch) XX feet
25.	The width of diverting channel will be (if a flume) XX feet The depth of water in the diverting should will be (if a flume)
26.	The depth of water in the diverting channel will be (if a flume) XX
27.	The diameter of the diverting channel will be (if a pipe) A.D. 75 inches inches
	The grade of the diverting channel will be 21.4 feet per thousand
20.	The point at which it is proposed to return the water is situated (See note under 16)
	The many is a last of the game number of the same n
27.	The water is to be used for the same purposes as specified in the original Application No. 32773

***************************************	***************************************
***********	Taral XX
posed use	If for power give number, size and make of wheels, head under which they will operate, total H. P. to be developed where power will be used.
30.	The character of the soil to be irrigated is
NOI	believe of the to be filled in only when proposed change is for invitate
design	if paragraph 12 designates that only part of the right described in paragraph 1 to 11 inclusive is to be changed, nate the status of the water so affected by this change as to its being abandoned or used as heretofore.

	EXPLANATORY Paragraph 13 on page 1 must not be used except when storage is contemplated; in such case Paragraph 14 should be time in each year during which the water will be released and used.
The change: of d Utah one o	rescribed in the space below this note as nearly as may be and by government subdivisions if upon surveyed land, and the reservoir when at full stage should be given in acres; the height of the impounding dam must also be specified. Sollowing additional facts are set forth in order to define more clearly the full purpose of the proposed. The original Application No. 32773 specified points iversion situate in Section 5, T. 41S., R. 24E., San Juan County, and bears the following notation: Diversion will be from or more or all of the above diversion points. Water from the
River horiz	cal diversion points will be commingled in conveyance works or se. The applicant proposes to divert water from the San Juan partly or wholly by means of infiltration wells, pits or contal galleries, dug in the alluvial fill within the stream by. The exact number, depth, diameter, spacing and yield of
such	wells nite or calloring
	wells, pits or galleries will be determined during the project
rousr	ruction; however, the aggregate withdrawal rate will not an all
LILG.L	specified. The purpose of this Change Application is to
secur	e approval of additional alternative points of diversion as
herei	nafter specified without refree C
nal A	nafter specified without waiver of any rights under the origi-
	remove the grantity of the gra
"What's	autorortheultimateobjective and purpose of the arrive

••••••	See 'Explanatory" continued on attached sheet
••••••	,
************	•
	,
	PHILLIPS PETROLEUM COMPANY
•	Signature of Applicant.
	BY
	Vice-President of Production

EXPLANATORY - contd. from printed form.

The additional alternative points of diversion from the source are in Section 3, T. 41S., R. 24E., San Juan County, Utah, situate at points as follows:

		(
Diversion	From	From	
<u>Point</u>	West Line	Norta Line	Subdivision
1	100'	1780'	swłnwł
2 3	365'	1780'	, 11
3	630'	1770'	
4	900'	1620'	11
5	1170'	1620'	11
6	1400'	1600'	SEŁNWŁ
7	1530'	1600'	11
8	1900'	1600'	11
9	2150'	1620'	11
10	2400'	1700'	11
11	2640'	1750'	fi
12	2900'	1810'	SW\ne\
13	3180'	1900'	II
14	3400'	1950'	11
15	3650'	20501	
16	3870 '	2225'	· · · · · · · · · · · · · · · · · · ·
17	4100'	2450'	SEŽNEŽ
18	4250'	27001	ne żseż
19	43801	2975'	11
20	44201	3250'	11

FORM BE BM 8-87

Copied for C. M. Bole: 4-18-62 EFL:min-

THE STATE OF UTAH OFFICE OF THE STATE ENGINEER SALT LAKE CITY

March 26, 1962



Phillips Petroleum Company Bartlesville, Oklahoma

Gentlemen:

RE: APPROVED APPLICATION NO. 8-4025

Enclosed find Application No. a-4025 which has been approved by me. This approved Application is your authority to proceed with actual construction work which, under Sections 73-3-10 and 73-3-12, Utah Code Annotated 1953, as amended, must be diligently prosecuted to completion. The water shall be put to beneficial use and proof of appropriation filed with the State Engineer, as provided in the original application as amended by this approved change Application.

Failure on your part to comply with the requirements of the statutes may result in forfeiture of your Application.

Yours truly, Wayne D. Cseddle

Wayne D. Criddle


ADDRESS ALL COMMUNICATIONS TO:


STATE ENGINEER
403 STATE CAPITOL
SALT LAKE CITY, UTAH

js
Encl: Copy of approved application

CHANGE APPLICATION APPROVED

(Form for pending original Application)







OFFICE OF STATE ENGINEER

SALT LAKE CITY October 30, 1551

> Issue Late: October 30, 1 Expiration Date: April ??

Phillips Petroleum Company c/o Senior and Senior, Attorneys #10 Exchange Place Salt Lake City 11, Utah

Gentlemen:

RE: APPROVED APPLICATION NO. 32773 ALT CHANCE APPLICATION NO. 4-4025

This is to acknowledge receipt of your Permanent Com-No. a-4025 which proposes to change the point of diversion () 6.0 sec.-ft. of water initiated by Application No. 32773. The was to have been diverted from ten 12.75-inch O.D. wells located within $S_2^{\frac{1}{2}}N_2^{\frac{1}{2}}N_{\frac{1}{4}}^{\frac{1}{4}}$ and $SE_4^{\frac{1}{4}}NE_4^{\frac{1}{4}}$ of Sec. 5. This, R24E, SLB&M. It is now proposed to divert the 0.5 sec. ft. of the from a total of vel 12.75 inches O.D. between 35 and 50 ft. deep ten of nese being the same as heretofore described and thinty-one wells to in hosated within-NW1 Sec. 3, 12 Sec. 4, NW1 Sec. 5, T41S, R24E, SLB&M. The water to to be used for pressure maintenance and secondary recovery purposes as hesetosose.

You hav requested permission to proceed immediately with the intuiting of these additional (I wells. This letter grants you that primitege with the understanding chat all risks as regards water rights are being assumed by good

if other than new standard casing is to be used in These walls and casing must be inspected and approved by a representative find this office All wells must be so constructed and finished that they may be readily as collect at all times, in order to prevent waste of underground water. Wells must at . drilled and cased in tuch a manner that will prevent the infloration of the taminated water into them.

The driffier must be bonded and have a sourcent getting from the state Engineer. Before commencing, he must give this office notice as to the day he will begin drilling. Also, within 30 days after the well has been completed or abandoned, he must file a well driller's report for each well. These reports are to contain accurate and complete information regarding the tradence and become part or the files in this office pertaining to the above-numbered is lings.

This is permission for a licensed driller to begin drilling you wells.

Please note that the expiration date of this letter is April 1, 1362.

Yours truly,

une De Criddle Wayne D. Criddle STATE ENGINEER

dв

ENIOR

December 2, 1965

Ratherford Unit, San Juan County, Utah - Application No. 32773 - Request for Extension of Time to Pake Proof of Appropriation

Pr. R. M. Williams (2) Legal Department

Phillips' Application No. 32773 to the State of Utal: for appropriation of water to be used in the Ratherford Unit project was approved on September 5, 1961. One condition of the approval was that a proof of appropriation be submitted by February 28, 1963. Subsequently an extension was granted and the proof of appropriation is now due on February 28, 1966. It is not possible to determine at this time the quantity of water that will ultimately be required and this is to request your assistance in obtaining an additional extension of time before it is necessary to file the proof.

Attached is a copy of Mr. C. H. Holes' letter dated November 23, 1965, which transmits a copy of an unexecuted application for an extension of time for filing the proof from February 28, 1966, to February 28, 1971. Please examine the application as to form and, if it is acceptable, forward it to Mr. J. E. Chrisman, who will arrange for its execution. If it is your opinion that the legal firm of Senior and Senior should file the application, as was done previously, please so advise and the executed application will be returned to you.

Stofner Smith

JEC:gm Attach.

cc: Messrs. C. W. Corbett
Attn. T. L. Osborne
C. M. Boles

1 18/6 C

لرا

fo

OPERATOR Phillips Oil 6		DATE	7-26-85
WELL NAME Ratherford U.	it 17-42		
OPERATOR Phillips Olif Co WELL NAME Ratherford U.S SEC SENE 17 T 415	R <u>24E</u> C	COUNTY San	Jun
43-037-3/177 API NUMBER		Judia. TYPE OF LEAS	
CHECK OFF:			
PLAT	BOND		NEAREST WELL
LEASE	FIELD		POTASH OR OIL SHALE
PROCESSING COMMENTS:			
Water &			
	· · · · · · · · · · · · · · · · · · ·		
APPROVAL LETTER: SPACING: A-3 Rathufou UNIT		c-3-a CAUS	E NO. & DATE
c-3-b		c-3-c	
STIPULATIONS:			



355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

July 30, 1985

Phillips Oil Company P. O. Box 2920 Casper, Wyoming 82602

Gentlemen:

Re: Well No. Ratherford Unit 17-42 - SE NE Sec. 17, T. 41S, R. 24E 1980' FNL, 660' FEL - San Juan County, Utah

Approval to drill the above-referenced oil well is hereby granted in accordance with Section 40-6-18, Utah Code Annotated, as amended 1983; and predicated on Rule A-3, General Rules and Regulations and Rules of Practice and Procedure.

In addition, the following actions are necessary to fully comply with this approval:

- Spudding notification to the Division within 24 hours after drilling operations commence.
- 2. Submittal to the Division of completed Form OGC-8-X, Report of Water Encountered During Drilling.
- 3. Prompt notification to the Division should you determine that it is necessary to plug and abandon this well. Notify John R. Baza, Petroleum Engineer, (Office) (801) 538-5340, (Home) 298-7695, or R. J. Firth, Associate Director, (Home) 571-6068.
- 4. Compliance with the requirements and regulations of Rule C-27, Associated Gas Flaring, General Rules and Regulations, Oil and Gas Conservation.

Page 2 Phillips Oil Company Well No. Ratherford Unit 17-42 July 30, 1985

5. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-037-31177.

Sincerely,

R. J. Firth

Associate Director, Oil & Gas

as Enclosures

cc: Branch of Fluid Minerals
Bureau of Indian Affairs

1-Well File(RC)

1-J. Weichbrodt

5. LEASE 14-20-603-353

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME Navajo
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different	7. UNIT AGREEMENT NAME SW-I-4192
1. oil wy gas RECEIVED	8. FARM OR LEASE NAME
	Ratherford Unit
Well Guide	9. WELL NO.
2. NAME OF OPERATOR Philling Potnoloum Company SEP 1 6 1985	#17-42
2. NAME OF OPERATOR Phillips Petroleum Company 3. ADDRESS OF OPERATOR	10. FIELD OR WILDCAT NAME Greater Aneth
8055 E. Tufts Ave. Pkwy., Denvis 00 80237	11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION GARRY, See space 17	AREA
below.)	Sec. 17, T41S, R24E
AT SURFACE: 1980' FNL, 660' FEL AT TOP PROD. INTERVAL:	12. COUNTY OR PARISH 13. STATE San Juan Utah
AT TOTAL DEPTH:	
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE.	14. API NO. 43-037-31177
REPORT, OR OTHER DATA	
	15. ELEVATIONS (SHOW DF, KDB. AND WD) 4677 ung. G.L.
REQUEST FOR APPROVAL TO: TEST WATER SHUT-OFF	(NOTE: Report results of multiple completion or zone change on Form 9–330.)
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is discussed and true vertical depths for all markers and zones pertinent	irectionally drilled, give subsurface locations and it to this work.)*
Drilled 18" conductor hole to 126' G.L. on 8-3 BT&C casing. Set at 125.45', cemented with 1 to surface. Finished job and moved out rat ho	77 cu.ft. (150 sx) Class B cement
Spudded well 9-6-85 with Four Corners Drilling to 1565'. Ran 9-5/8" 36# S-80 LT&C casing, so 956 cu.ft. (395 sx) Howco Light cement; tailed Class B cement. Circulated to surface. Job	et at 1565'. Cemented with d with 354 cu.ft. (300 sx)
•	
Subsurface Safety Valve: Manu. and Type	Set @ Ft.
18. I hereby certify that the foregoing is true and correct	
	ger DATE September 11, 1985
(This space for Federal or State off	ice use)
APPROVED BYTITLE	DATE
CONDITIONS OF APPROVAL, IF ANY:	
6-BLM, Farmington, NM 1-Chevron USA, Inc. 2-Utah O&GCC. \$ LC 1-Texaco, Inc.	
2-Utah O&GCC, \$ LC 1-Texaco, Inc. 1-Casper 1-Shell Oil Corp.	

*See Instructions on Reverse Side

1-Mobil Oil Corp.

Form Approved.

Budget Bureau No. 42-R1424

9-331 1973

1-Casper 1-Well File 1-J. Weichbrodt

UNITED STATES DEDARTMENT OF THE INTERIOR

UNITED STA	HE INTERIOR	5. LEASE 14-20-603-353	- -
GEOLOGICAL S	SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME Navajo	
SUNDRY NOTICES AND R (Do not use this form for proposals to drill or to reservoir, Use Form 9-331-C for such proposals.		7. UNIT AGREEMENT NAME SW-1-4192	_
1. oil y-y gas	OCT 0 3 1985	8. FARM OR LEASE NAME Ratherford Unit	_
well well other 2. NAME OF OPERATOR		9. WELL NO. #17-42	
Phillips Petroleum Compa 3. ADDRESS OF OPERATOR	ny division of Oil GAS & MINING	10. FIELD OR WILDCAT NAME Greater Aneth	
8055 E. Tufts Ave. Pkwy. 4. LOCATION OF WELL (REPORT LOCA		11. SEC., T., R., M., OR BLK. AND SURVEY O AREA	R
below.) AT SURFACE: 1980' FENL, 66 AT TOP PROD. INTERVAL:	O' FEL	Sec. 17 T41S, R24E 12. COUNTY OR PARISH 13. STATE San Juan Utah	_
AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INC.	DICATE NATURE OF NOTICE,	14. API NO. 43-037-31177	_
REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: S	UBSEQUENT REPORT OF:	15. ELEVATIONS (SHOW DF, KDB. AND WD 4677' ungraded ground))
TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other)		(NOTE: Report results of multiple completion or zor change on Form 9–330.)	ie
17. DESCRIBE PROPOSED OR COMPLET including estimated date of starting measured and true vertical depths for	any proposed work. If well is d	e all pertinent details, and give pertinent date irectionally drilled, give subsurface locations and to this work.)*	s, d
Cemented with 1122 cu.ft	. (550 sx) Howco Ligh alt. Pressure tested	26# K-55 ST&C casing; set at 55 t cement; tailed with 360 cu.ft. casing to 2200 psi. Job comple	
Subsurface Safety Valve: Manu. and Type		Set @ F	t.
18. I hereby certify that the foregoing is tr	7	ger _{DATE} 30 September 1985	
	(This space for Federal or State off	ce use)	-
APPROVED BY	TITLE	DATE	
6-BLM, Farmington, NM 2-Utah O&GCC, SLC	1-Chevron USA, 1-Mobil Oil Co		

1-Texaco, Inc.
*See Instructions on Reverse Side

1-Shell Oil Co.

Form 3160-4 (November 1983) (formerly 9-330)

U' TED STATES SUBMIT DEPARTMENT OF THE INTERIOR

SUBMIT IN DUP" TE.

ther in-

Form approved. Budget Bureau No. 1004-0137 Expires August 31, 1985

reverse side) 5. LEASE DESIGNATION AND SERIAL NO

	1	BUKEAU	UF LAN	U MANA	GEMEI	1			14-20		
WELL CO	MPLETIC	N OR	RECOM	APLETIC	ON R	EPORT A	INA	D LOG*			OTTES OR TRIBS NAME
is. TYPE OF WEL		WRLL X				Other			Nava		EMAN TI
NEW XX		DEEL-	PLPG BACK				CI	EIVED	SW-I-		
2. NAME OF OPERAT	OV RR	<u> </u>				<u> </u>				rfor	d Unit
Phillips 1	Petroleu	n Compa	any			NO	V O	4 1985	9. WELL N	o.	
3. ADDRESS OF UPE									17-	. –	
P. O. Box	2920, C	asper,	Wyomin	g 8260	2		i e a	enis CYC.	i		OL, OR WILDCAT
4. LOCATION OF WE	i.i. (Report to 980' FNL				icith an	nager egan. A P	S &	M	Great		OR BLOCK AND BURYRY
			FEL,	SE NE		.,		• • • • • • • • • • • • • • • • • • • •	OR ARI	\$ A	
At top prod. int	SELATI LEBOLTE	d below							Sec.	17-T	C41S-R24E
At total depth				14. PER	W. W.			ISSUED	12. COUNT	Y 09	18. STATE
API #43-0	37-31177		D 17 D.			1	7	30-25	San	Juan	Utah BLEV. CASINGHEAD
5. DATE SPUDDED 9/6/85	1	. b. 853CH2 6/85		10/9/8					RKB 4689		
9/0/0J			K T.D., MD &			TIPLE COMPL.,		23. INTERVAL	S ROTARY T	OOLB	CABLE TOOLS
5580°		55							0 - 55		
4. PRODUCING INTE	RVAL(8), OF 1	HIS COMP	LETION—TOP	, BOTTOM, !	AME ()	AD AND TAD).				2	25. WAS DIRECTIONAL SURVEY MADE
5490¹ - 5			reek Zo	ne I							No
Dual Guar	d Forxo	CDL-D							(RL)	27.	NO NO
The same of the sa	WEIGHT.	/	CASI			ort all strings	set is		NG RECORD		AMOUNT PULLED
13-3/8"	54.			25'		-1/2"		177 cu.ft	. Class "	B"	
				65'		-1/4"			. Class "		
<u>9-5/8" </u>	36 23#_&			79'		-3/4"	14	482 cu.ft	. Class "	B''	
		2011									
39.		LINE	R RECORD					30.	TUBING RE		
8128	TOP (MD)	BOTT	OM (MD)	SACKS CE	MENT*	SCREEN (MI	<u>''-</u>	81ZE	DEPTH SET	(MD)	PACKER SET (MD)
				ļ 				2-7/8"	5437'		
1. PERFORATION RE	cond (Interv	el, sise end	number)	<u> </u>		32.	AC	ID, SHOT, FR	ACTURE, CEME	NT SQI	UEEZE, ETC.
				ahota		DEPTH INT					MATERIAL USED
5530-5546, 5512-5522,						5490-5	546	- Break	dn ea ft	of pe	erfs w/50 gal 28
5490-5504,						HCL. Ac	id:	ized w 40	00 gal 28	% HCL	w/2 gal/1000
3,70 330.,	,					F801,	3 ga	a1/1000 W	802, 1 ga	1/100	00 A250 & 6 gal/ or action. Total
					PRO			gal HCL.	IIJ Valis	, poc	i action. Total
88.* DATE FIRST PRODUCT	TION (PRODUCTION	METHOD (Flowing, ga		umping-else					UB (Producing or
10/9/85			wing						'	hut-in)	Producing
DATE OF TEST	HOURS TRE		HORE SIES	PROD'N		OIL-BBL.		GAS-MCF.	WATER-1	BL.	GAS-OIL RATIO
10/23/85	24	- 1	20/64"		>	32		13	. 0		400
PLOW. TURNNE PROCE.	CABING PR		CALCULATED 24-HOUR BAT	OIL-B	вь. 3 2	GAS-		WAT 1	er O	OIL	GRAVITY-API (CORR.) 40.0
80		d day dug!	mented etc		3Z	!	13	<u> </u>	1 TEST WIT	(BSSED	
Sold		s jor jaci,	Keny Cope	, 	·						1000
None					15.6	1040 and 00-	A	datarmined 4-	om all availabi	X	<u> </u>
36. I hereby certify	that the for	regoing and	attached !		is com	Area M					tober 31, 1985
signed	C. G11			^^^							

TOP	TH VERT. DEPTH		2318 2598 4520 5334 5486			
	MEAS, DEPTH	TOPS	H			· · ·
	NAME	700	Shinarump DeChelly Hermosa Ismay Desert Creek Zore			
DESCRIPTION CONTENTS RIC	on, contanto, too					
Talangan	T S S S S S S S S S S S S S S S S S S S				H W	
			 		ty, UT Rock, AZ Berk, Denver zi, Denver	
MOTTOR					Lake Ci , Window r) G. W. C. Bertuz Denver	nver
804	20	DST's RUN	, ¹	<u>.</u>	n, 110 111 0n d,	Meichbrodt, D. I. Owners e RC
recoveries):	FORMATION	NO CORES or			· A L A A A A A A A A A A A A A A A A A	1 - D. L. 16 - 17 - W. 1 - 17 - W. 1. 18 - 17 - 18 - 18 - 18 - 18 - 18 - 18 -

STATE OF UTAH DIVISION OF OIL, GAS AND MINING

Page 1 of 10

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

ECETA FILL

ACCOUNT NUMBER:

P J KONKEL
PHILLIPS PETROLEUM COMPANY
5525 HWY 64 NBU 3004
FARMINGTON NM 87401

AUG 1 6 1993

DIVISION OF

REPORT PERIOD (MONTH/YEAR)

6 / 93

OIL, GAS & MININGMENDED REPORT [(Highlight Changes)

Well Name	Producing	Well	Days		Production Volumes	
API Number Entity Location	Zone	Status	Орег	OIL(BBL)	GAS(MCF)	WATER(BBL)
#21-23 4303713754 06280 415 24E 21	DSCR	POW	29	1374	883	58
#3-44 4303715031 06280 41\$ 24E 3	DSCR	POW	<i>3</i> 0	///	94	2905
#3-14 4303715124 06280 415 24E 3	DSCR	POW	30	67	23	302
#9-12 4303715126 06280 415 24 E 9	DSCR	POW	30	112	654	17363
#9-14 4303715127 06280 415 24E 9	DSCR	POW	30	201	315	<i>4</i> 23
#28-12 4303715336 06280 41S 24E 28	PRDX	POW	29	112	47	2428
#29-12 4303715337 06280 41S 24E 29	PRDX	POW	29	56	0	672
#29-32 4303715339 06280 415 24E 29	DSCR	POW	29	1402	287	2224
#29-34 4303715340 06280 415 24E 29	DSCR	Pow	29	757	48	0
#30-32 4303715342 06280 415 24E 30	DSCR	POW	29	588	1049	3744
#3-12 4303715620 06280 41S 24E 3	DSCR	POW	30	268	11	363
#9-34 4303715711 06280 415 24E 9	DSCR	POW	30	45	46	9800
#10-12 4303715712 06280 415 24E 10	DSCR	POW	30	45	23	1088
1344			TOTALS	5138	3480	41370

COMMENTS: Effective July 1, 1993, Phillips Petroleum Company has sold its interest in the

Ratherford Unit to Mobil Exploration and Producing U.S., Incorporated, P. O. Box

633, Midland, Texas 79702. Mobil assumed operations on July 1, 1993.

I hereby certify that this report is true and complete to the best of my knowledge.

Date: 8/11/93

Name and Signature: PAT KONKEL

Pat Konkel

______ Telephone Number: 505 599-3452

STATE OF UTAH DIVISION OF OIL, GAS AND MINING

		S. LEASE DESIGNAT	ION & SERIAL NO.
SUNDRY NOTICES AND REPORTS (Do not use this form for proposals to drill or to deepen or plug to use "APPLICATION FOR PERMIT—" for su	back to a different reservoir.	NAVAJO TRIB	AL
OIL GAS		1. UNIT AGREEMEN	
WELL WELL OTHER	MINISTER	RATHERFORD	
MOBIL OIL CORPORATION -	113		
P. O. BOX 633 MIDLAND, TX 79702	SEP 1 5 1993	T. WELL NO.	
LOCATION OF WELL (Report location clearly and in accordance with any State re-		10. FIELD AND POO	L. OR WILDCAT
See also space 17 below.) At surface	DIVISION OF	GREATER A	
At proposed prod. zone	OIL, GAS & MINING	11. SEC., T. R., M., O SURVEY OF	
. API NO. 15. ELEVATIONS (Show whether D	DF, RT, GR, etc.)	12 COUNTY	IJ. STATE
		SAN JUAN	UTAH
Check Appropriate Box To Indicate	Nature of Notice, Report or O	ther Data	
NOTICE OF INTENTION TO:	SUBSE	QUENT REPORT OF:	
TEST WATER SHUT-OFF PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRI	NG WELL
FRACTURE TREAT MULTIPLE COMPLETE	FRACTURE TREATMENT		SG CASING
SHOOT OR ACIDIZE ABANDON	SHOOTING OR ACIDIZING (Other) CHANGE O		
REPAIR WELL CHANGE PLANS (Other)	(Note: Report results	of multiple completion	
APPROX. DATE WORK WILL START 7. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly starting any proposed work, if well is directionally drilled, give subsurpertinent to this work.)	DATE OF COMPLETION	pertinent dates, includ rue vertical depths for	ing estimated date of
DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly	state all pertinent details, and give reace locations and measured and to	ne vertical depths for panied by a cement	all markers and zon
DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly starting any proposed work. If well is directionally drilled, give subsurpertinent to this work.) AS OF JULY1, 1993, MOBIL OII, CORPORATIONS (Clearly starting any proposed work of the starting any proposed work)	state all pertinent details, and give reace locations and measured and to	ne vertical depths for panied by a cement	all markers and zon
TESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly starting any proposed work. If well is directionally drilled, give subsurpertinent to this work.) AS OF JULY1, 1993, MOBIL OII, CORPORATION ATTACHED ARE THE INDIVIDUAL WELLS.	state all pertinent details, and give reace locations and measured and to	ne vertical depths for panied by a cement	all markers and zon
S. I hereby certify that the foregoing is true and correct	state all pertinent details, and give reace locations and measured and to	panied by a cement	werification repo
T. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly starting any proposed work. If well is directionally drilled, give subsurpertinent to this work.) AS OF JULY1, 1993, MOBIL OIL CORPORATION ATTACHED ARE THE INDIVIDUAL WELLS.	state all pertinent details, and give reace locations and measured and to * Must be accommon IS THE OPERATOR OF	panied by a cement	werification repo

L	o a	1
r	PA	'،

-					
4	12W-44	43-037-16405	14-20-603-246A	SEC. 12, T41S, R23E	SE/SE 660 FSL; 660 FEL
ų	12W-44A	43-037-31543	14-20-603-246A	SEC. 12, T41S, R23E	SE/SE 807 FEL; 772 FSL
ال	13-11W	43-037-31152	14-20-603-247A	SEC. 13, T41S, R23E	NW/NW 500 FNL; 660 FWL
•	13-12	43-037-31127	14-20-603-247A	SEC. 13, T41S, R23E	SW/NW 1705 FNL; 640 FWL
		43-037-15851	14-20-603-247A	SEC. 13, T41S, R23E	NW/SW 1980 FSL; 4620 FEL
	13-14	43-037-31589	14-20-603-247A	SEC. 13, T41S, R23E	660 FSL; 660 FWL
ų.	13-21	43-037-31128	14-20-603-247A	SEC. 13, T41S, R23E	NE/NW 660 FNL; 1920 FWL
		43-037-15852	14-20-603-247A	SEC. 13, T41S, R23E	SE/NW 1988 FNL; 3300 FEL
ų	13-23	43-037-31129	14-20-603-247A	SEC. 13, T41S, R23E	NE/SW 1980 FSL; 1930 FWL
	13W-44	43-037-15853	14-20-603-247	SEC. 13, T415, R23E	600 FSL; 3300 FEL
J	13W-32	43-037-16406	14-20-603-247A	SEC. 13, T41S, R23E	1881 FNL; 1979 FEL
		43-037-15855	14-20-603-247A	SEC. 13, T41S, R23E	NW/SE 1970 FSL; 1979 FEL
		43-037-31130	14-20-603-247A	SEC. 13, T41S, R23E	SW/SE 660 FSL; 1980 FEL
					NE/NE 660 FNL; 660 FEL
- #	13-41	43-037-15856	14-20-603-247A	SEC. 13, T41S, R23E	
		43-037-,15857	14-20-603-247A	SEC. 13, T41S, R23E	SE/NE 2139; 585 FEL
٠,	1/3-43	43-037-31131	14-20-603-247A	SEC. 13, T41S, R23E	NE/SE 1700 FSL; 960 FEL
4	13W-44 🏄	43-037-16407	14-20-603-247A	SEC. 13, T41S, R23E	SE/SE 635 FSL; 659 FEL
	14-03	NA	14 20 603 4037	-SEC. 11, T41S, R23E	SW/SW 660 FSL; 660 FEL
J	14-32	43-037-15858	14-20-603-247A	SEC. 14, T41S, R23E	2130 FNL; 1830 FEL
11	14-41	43-037-31623	14-20-603-247A	SEC. 14, T41S, R23E	NE/NE 521 FEL; 810 FNL
		43-037-15860	14-20-603-247A	SEC. 14, T41S, R23E	SE/NE 1976 FNL; 653 FEL
		43-037-15800	14-20-603-247A	SEC. 14, T415, R23E	3300 FSL; 4770 FEL
9	14-33	43-037-15859	14-20-603-247	SEC. 14, T41S, R23E	2130 FSL; 1830 FEL
	15-12	43-037-15715	14-20-603-355	SEC. 15, T41S, R24E	1820 FNL; 500 FWL
			14-20-603-355	SEC. 15, T41S, R24E	660 FNL; 1820 FWL
1	15-22	43-037-30449	14-20-603-355	SEC. 15, T41S, R24E	SE/NW, 1980 FNL; 2050 FWL
J	15-32	43-037-15717	14-20-603-355A	SEC. 15, T41S, R24E	1980 FNL; 1980 FEL
	15-33	43-037-15718	14-20-603-355	SEC. 15, T41S, R24E	NW/SE 1650 FSL; 1980 FEL
- P	15-41	43-037-15719	14-20-603-355	SEC. 15, T41S, R24E	660 FNL; 660' FEL
	15-42	43-037-30448	14-20-603-355	SEC. 15, T41S, R24E	SE/NE 2020 FNL; 820 FEL
		43-037-15720	14-20-603-355	SEC. 16, T41S, R24E	SW/NW 1880 FNL; 660 FWL
				SEC. 16, T415, R24E	1980 FSL; 660 FWL
	16-13	43-037-31168	14-20-603-355		
		43-037-15721	14-20-603-355	SEC. 16, T41S, R24E	SW/SW 660 FSL; 660 FWL
		43-037-16414	14-20-603-355	SEC. 16, T41S, R24E	NE/NW 660 FNL; 1880 FWL
		43-037-15722	14-20-603-355	SEC. 16, T41S, R24E	NE/SW 1980 FSL; 1980 FWL
Ч	16-32	43-037-15723	14-20-603-355	SEC. 16, T41S, R24E	1980 FNL; 1980' FEL
4	16-34	43-037-15724	14-20-603-355	SEC. 16, T41S, R24E	660 FNL; 1980' FEL
	16-41	43-037-15725	14-20-603-355	SEC. 16, T41S, R24E	660 FNL; 660 FEL
		43-037-16415	14-20-603-355		NE/SE 2140 FSL; 820 FEL
		43-037-31169	14-20-603-353		NW/NW 1075' FNL; 800' FWL
		43-037-15726	14-20-603-353		SW/NW 1980' FNL; 510' FWL
					NW/SW 2100' FSL; 660' FWL
		43-037-31133	14-20-603-353	SEC. 17, T41S, R24E	
		43-037-15727	14-20-603-353	SEC. 17, T41S, R24E	SW/SW 660' FSL; 660' FWL
		43-037-16416	14-20-603-353	SEC. 17, T41S, R24E	510' FNL; 1830' FWL
v		43-037-31170	14-20-603-353	SEC. 17, T41S, R24E	1980' FNL; 1980' FWL
	17W-23	43-037-15728	14-20-603-353	SEC. 17, T41S, R24E	NE/SW 1980' FWL; 1880' FSL
	17-31	43-037-31178	14-20-603-353	SEC. 17, T41S, R24E	NW/NE 500' FNL; 1980' FEL
J	17-32 W	43-037-15729	14-20-603-353	SEC. 17, T41S, R24E	SW/NE 1830' FNL; 2030' FEL
	17-33	43-037-31134	14-20-603-353	SEC. 17, T41S, R24E	NW/SE 1980' FSL; 1845' FEL
	17-34W		14-20-603-353	SEC. 17, T415, R24E	SW/SE 560' FSL; 1880' FEL
	17W-41	43-037-15731	14-20-603-353	SEC. 17, T415, R24E	610' FNL; 510' FEL
			14-20-603-353	SEC. 17, T413, R24E	SE/NE 1980; FNL, 660' FEL
	17-42	43-037-31177			
	17-44	43-037-/5732	14-20-603-353	SEC. 17, T41S, R24E	660 FSL; 660' FEL
	17W-43	43-037-16417	14-20-603-353	SEC. 17, T41S, R24E	NE/SE 1980' FSL; 660' FEL
	18-11	43-037-15733	14-20-603-353	SEC. 18, T41S, R24E	NW/NW 720' FNL; 730' FWL
Ų	18-12W	43-037-31153	14-20-603-353	SEC. 18, T41S, R24E	SW/NW 1980' FNL; 560' FWL
4	18W-21	43-037-16418	14-20-603-353	SEC. 18, T41S, R24E	NE/NW 660' FNL; 1882' FWL
d	18-22	43-037-31236	14-20-603-353	SEC. 18, T41S, R24E	SW/NW 2200' FNL; 2210' FWL
ď	18W-23	43-037-30244	14-20-603-353	SEC. 18, T41S, R24E	NE/SW 2385' FSL; 2040' FWL
		43-037-15735	14-20-603-353	SEC. 18, T41S, R24E	SW/SW 810' FSL; 600' FWL
	18-24	43-037-31079	14-20-603-353	SEC. 18, T41S, R24E	SE/SW 760' FSL; 1980' FWL
	18-31	43-037-31181	14-20-603-353	SEC. 18, T41S, R24E	NW/NE 795' FNL; 2090; FEL
J				SEC. 18, T413, R24E	SW/NE 2140' FNL; 1830' FEL
	18W-32	43-037-15736	14-20-603-353	SEC. 18, T415, R24E	NW/SE 1870' FSL; 1980' FEL
	18-33	43-037-31135	14-20-603-353		
	18-34W	43-037-15737	14-20-603-353	SEC. 18, T41S, R24E	SW/SE 780' FSL; 1860 FEL
	18W-41	43-037-15738	14-20-603-353	SEC. 18, T41S, R24E	NE/NE 660' FNL; 660' FEL
L	18-42	43-037-31182	14-20-603-353	SEC. 18, T41S, R24E	SE/NE 2120' FNL; 745' FEL
L	18W-43	43-037-16419	14-20-603-353	SEC. 18, T41S, R24E	NE/SE 1980' FSL; 660' FEL
	18-44	43-037-31045	14-20-603-353	SEC. 18, T41S, R24E	SE/SE 660' FSL; 660' FEL
	19-11	43-037-31080	14-20-603-353	SEC. 19, T41S, R24E	NW/NW 660' FNL; 660' FWL
	19-12	43-037-15739	14-20-603-353	SEC. 19, T41S, R24E	600' FWL; 1980' FNL
	19-14	43-037-15740	14-20-603-353	SEC. 19, T41S, R24E	600' FSL; 660' FEL
	13-14	TO-00/-10/40	1 20 000 000		<u>, , , ,</u>

PAId

_	3	
STATE OF UTAH		FORMy 11
/ISION OF OIL, GAS AND MINING	i '	
	1 1	\bigcirc

	,		,
Page	- 1	of	ı

ν,		₹ }			_				
	:	MON	THLY O	IL AND	GAS DI	SPOSITIO	N REPORT	Γ	
	BR-I-AN	Sheft BERRY	FIELD 10BIL 3078 RENTW 5221-9031		WER G c, Co. 81=	REPOR	ACCOUNT NUMBE IT PERIOD (MONT) DED REPORT	H/YEAR):	
ENTITY	PRODUCT	GRAVITY	BEGINNING	VOLUME		DISPOSIT	IONS		ENDING
NUMBER		вти	INVENTORY	PRODUCED	TRANSPORTED	USED ON SITE	FLARED/VENTED	OTHER	INVENTORY
	OIL			177609	177609	0			
05980	GAS			72101	177609	5885			
	OIL								
11174	GAS								
	OIL								
	GAS								
	OIL								
						 		SIRING.	77

GAS OIL 5EP 1 3 1993 GAS DIVISION OF OIL GAS & MINING OIL GAS OIL GAS 249710 243825 5885 TOTALS

COMMENTS: PETASE NOTE ADDRESS Change losin	ASSU PRODUCTION REPORTS
Will be CompilED AND Sent from The	cortez, Co. Office
IN THE FUTURE.	Date: 9/5/93
I hereby certify that this report is true and complete to the best of my knowledge.	

Name and Signature: Invell & Shiffield

Telephone Number 244 658 2538

Sept 29, 1993

To: Lisha Cordova - Utah Mining Oil & Gas FRom: Janice Easley BLM Farmington, NM

505 599-6355

Here is copy of Ratherford Unit Successor Operator.

4 pages including this one.

Ele ratherful Unit (GC)

PICEIVED PLM

Navajo Area Office P. O. Box 1060 Gallup, New Mexico 87305-1060

ARES/543

التحل ما ياللا

Mr. G. D. Cox Mobil Exploration and Producing North America, Inc. P. O. Box 633 Midland, Texas 79702

Dear Mr. Cox:

Enclosed for your information and use is the approved Designation of Operator between the Phillips Petroleum Company and Mobil Exploration and Producing North America, Inc. for the Ratherford Unit.

Please note that all other concerned parties will be furnished their copy of the approved document.

Sincerely,

Aligo acomore

ACTING Area Director

Enclosure

cc: Bureau of Land Management, Farmington District Office w/enc. TNN, Director, Minerals Department w/enc.

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF INDIAN AFFAIRS



DESIGNATION OF OPERATOR

Phillips Petroleum Company is, on the records of the Bureau of Indian Affairs, operator of the Ratherford Unit,

AREA OFFICE: Window Rock, Arizona LEASE NO: Attached hereto as Exhibit "A" 070 FARMINGTON, NM

and, pursuant to the terms of the Ratherford Unit Agreement, is resigning as Unit Operator effective July 1, 1993, and hereby designates

NAME: Mobil Exploration and Producing North America Inc., duly elected pursuant to the terms of the Ratherford Unit Agreement,

ADDRESS: P. O. Box 633, Midland, Texas 79702 Attn: G. D. Cox

as Operator and local agent, with full authority to act on behalf of the Ratherford Unit lessees in complying with the terms of all leases and regulations applicable thereto and on whom the authorized officer may serve written or oral instructions in securing compliance with the Operating Regulations (43 CFR 3160 and 25 CFR 211 and 212) with respect to (described acreage to which this designation is applicable):

Attached hereto as Exhibit "A"

Bond coverage under 25 CFR 211, 212 or 225 for lease activities conducted by the above named designated operator is under Bond Number 05202782 (attach copy). Evidence of bonding is required prior to the commencement of operations.

It is understood that this designation of operator does not relieve any lessee of responsibility for compliance with the terms of the leases and the Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the leases.

In case of default on the part of the designated operator, the lessees will make full and prompt compliance with all regulations, lease terms, stipulations, or orders of the Secretary of the Interior or his representative.

Attached is the appropriate documentation relevant to this document.

The designated operator agrees to promptly notify the authorized officer of any change in the operatorship of said Ratherford Unit.

June 17, 1993

Phillips Petroleum Company

Mobil Exploration and Producing

North America Inc.

June // , 1993

AREA DIRECTOR

APPROVED PURSUANT, TO SECRETARIAL REDELEGATION ORDER 209 DM 8 AND 230 DM 3.

This form does not constitute an information collection as defined by 44 U.S.C. 3502 and therefore does not require OMB approval.

EXHIBIT "A"

ATTACHED TO AND MADE A PART OF DESIGNATION OF SUCCESSOR OPERATOR, RATHERFORD UNIT

EXHIBIT "C"

Revised as of September 29, 1992) SCHEDULE OF TRACT PERCENTAGE PARTICIPATION

Tract Number	Description of Land	Serial Number and Effective Date of Lease	Tract Percentage Participation
1	S/2 Sec. 1, E/2 SE/4 Sec. 2, E/4 Sec. 11, and all of Sec. 12, T-41-S, R-23-E, S.L.H. San Juan County, Utah	14-20-603-246-A Oct. 5, 1953	11.0652565
2	SE/4 and W/2 SW/4 Sec. 5, the irregular SW/4 Sec. 6, and all of Sec. 7 and 8, T-41-S, R-24-E. San Juan County, Utah	14-20-603-368 Oct. 26, 1953	14.4159942
3	SW/4 of Sec. 4, T-41-S, R-24-E, San Juan County, Utah	14-20-603-5446 Sept. 1, 1959	.5763826
4	SE/4 Sec. 4, and NE/4 Sec. 9, T-41-S, R-24-E, San Juan County, Utah	14-20-603-4035 Harch 3, 1958	1.2587779
5	SW/4 of Sec. J, T-41-S, R-24-E, S.L.M., San Juan County, Utah	14-20-603-5445 Sept. 3, 1959	. 4667669
6	NW/4 of Sec. 9, T-41-S, R-24-E, S.L.H., San Juan County, Utah	14-20-603-5045 Feb. 4, 1959	1.0187043
7	NW/4, W/2 NE/4, and SW/4 Sec. 10, SE/4 Sec. 9, T-41-5, R-24-E, San Juan County, Utah	14-20-603-4043 Feb. 18, 1958	3.5097575
8	SW/4 Sec. 9, T-41-S, R-24-E, S.L.M. San Juan County, Utah	14-20-603-5046 Feb. 4, 1959	1.1141679
9	SE/4 Sec. 10 and S/2 SW/4 Sec. 11 T-41-S, R-24-E, San Juan County, Utah	14-20-603-4037 Feb. 14, 1958	2.6186804
10	All of Sec. 13, E/2 Sec. 14, and E/2 SE/4 and N/2 Sec. 24, T-41-S, R-23-E, S.L.H San Juan County, Utah	14-20-603-247-A Oct. 5, 1953	10.3108861
11	Sections 17, 18, 19 and 20, T-41-S, R-24-E, San Juan County Utah	14-20-603-353 Oct. 27, 1953	27.3389265
12	Sections 15. 16. 21, and NW/4, and W/2 SW/4 Sec. 22, T-41-S, R-24-E, San Juan County, Utah	14-20-603-355 Oct. 27, 1953	14.2819339
13	W/2 Section 14, T-41-S, R-24-E, San Juan County, Utah	14-20-603-370 Oct. 26,1953	1.8500847
14	N/2 and SE/4, and E/2 SW/4 Sec. 29, NE/4 and E/2 SE/4 and E/2 W/2 irregular Sec. 30, and E/2 NE/4 Sec. 32, T-41-S, R-24-E, San Juan County, Utah	14-20-603-407 Dec. 10, 1953	6.9924969
15	NW/4 Sec. 28, T-41-S, R24-E San Juan County, Utah	14-20-603-409 Dec. 10, 1953	.9416393
16	SE/4 Sec. 3, T-41-5, R-24-E San Juan County, Utah	14-20-0603-6504 July 11. 1961	.5750254
17	NE/4 Sec. 3, T-41-5, R-24-E San Juan County, Utah	14-20-0603-6505 July 11, 1961	.5449292
18	NW/4 Sec. 3, T-41-S, R-24-E San Juan County, Utah	14-20-0603-6506 July 11, 1961	.5482788
19	NE/4 Sec. 4, T-41-S, R24-E San Juan County, Utah	14-20-0603-7171 June 11, 1962	.4720628
20	E/2 NW/4 Sec. 4, T-41-S, R-24-E San Juan County, Utah	14-20-0603-7172 June 11, 1962	.0992482

Division of Oil, Gas and Mining PHONE CONVERSATION DOCUMENTATION FORM

[]	Suspense XEX Other Operator Change Ope
1.	Date of Phone Call:10-6-93 = Time:9:30
2.	DOGM Employee (name) L. CORDOVA (Initiated Call XXX) Talked to:
	Name (Initiated Call []) - Phone No. (915)688-2114 of (Company/Organization) MOBIL
3.	Topic of Conversation: OPERATOR CHANGE FROM PHILLIPS TO MOBIL "RATHERFORD UNIT" (NEED TO CONFIRM HOW OPERATOR WANTS THE WELLS SET UP - MEPNA AS PER BIA APPROVAL OR MOBIL OIL CORPORATION AS PER SUNDRY DATED 9-8-93?)
4.	Highlights of Conversation: MR. COX CONFIRMED THAT THE WELLS SHOULD BE SET UNDER ACCOUNT N7370/MEPNA AS PER BIA APPROVAL, ALSO CONFIRMED THAT PRODUCTION & DISPOSITION REPORTS WILL NOW BE HANDLED OUT OF THEIR CORTEZ OFFICE RATHER THAN DALLAS. MEPNA— PO DRAWER G CORTEZ, CO 81321 (303)565-2212 *ADDRESS CHANGE AFFECTS ALL WELLS CURRENTLY OPERATORED BY MEPNA, CURRENTLY REPORTED OUT OF DALLAS (MCELMO CREEK).

Division of Oil, Gas and Mining OPERATOR CHANGE HORKSHEET	division magaming this change		Routing: 1- VEC/017-S 2 2- DF37 8- E 17
Attach all documentation received by the c Initial each listed item when completed.	Write N/A if item is not appli	cable.	3-VLC 4-RJFV
XXX Change of Operator (well sold) ☐ Designation of Operator	□ Designation o □ Operator Name		5-11-0e 6-14-
The operator of the well(s) liste	d below has changed (EFFE	ECTIVE DATE:)
T() (new operator) (address) PO DRAWER G CORTEZ, CO 813 GLEN COX (915) 6 phone (303) 565 account no. N7	321 688-2114 5-2212	PAT KONKE phone (5	64 NBU 3004 N, NM 87401
Hell(s) (attach additional page if need	ed): *RATHERFORD UNIT	(OLAVAJO)	
Name: API: Name: API: Name: API: Name: API:	Entity: Entity: Entity:	SecTwpRng SecTwpRng SecTwpRng SecTwpRng SecTwpRng	_ Lease Type: _ Lease Type: _ Lease Type: _ Lease Type: _ Lease Type:
operator (Attach to this f	form). <i>(feg.8-20-93) (6/93 fied.</i> r other <u>legal</u> documentati	Rpt. 8-16-93)	
3. The Department of Commerce operating any wells in Ut	e has been contacted if t tah. Is company register mber:	red with the state?	(yes/no) If
4. (For Indian and Federal (attach Telephone Documer comments section of this changes should take place	form. Management review	w of Federal and Inc	lian well operator
1 5. Changes have been entered listed above. (026 wells 10-	6-93) (wiw's 10-26-93/		
6. Cardex file has been updat	ted for each well listed	above. (Of Ewells 10-6-93,	(wiw's 10-26-93)
7. Well file labels have beer	n updated for each well l	isted above. (oé 6 wells	10 lo-93) (WIW'S 10-26-4
8. Changes have been include for distribution to State	d on the monthly "Operat Lands and the Tax Commis	or, Address, and Acc sion. (10-6-437	ount Changes" memo
9. A folder has been set up	for the Operator Change e during routing and proc	file, and a copy of essing of the origina	this page has been 1 documents.

PERATOR CH	HANGE WORKSHEET (CONTINUED) Inicial each item when completed. Write N/A ; item is not applicable.
NTITY R	EVIEH
19	Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were ntity changes made? (yes/no) (If entity assignments were changed, attach <u>copies</u> of orm 6, Entity Action Form).
<i>Nl</i> д 2. S еі	tate Lands and the Tax Commission have been notified through normal procedures of ntity changes.
OND VER	IFICATION (Fee wells only)
1/20/1. ()	Rule R615-3-1) The new operator of any fee lease well listed above has furnished a roper bond.
2. A	copy of this form has been placed in the new and former operators' bond files.
3. T	he former operator has requested a release of liability from their bond (yes/no) oday's date 19 If yes, division response was made by letter lated 19
LEASE IN	ITEREST OHNER NOTIFICATION RESPONSIBILITY
n (5 p) n	Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 19, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
× 2. C	Copies of documents have been sent to State Lands for changes involving State leases .
FILMING	
1. A	All attachments to this form have been microfilmed. Date:
FILING	
Let 1. C	Copies of all attachments to this form have been filed in each well file.
<u>Le</u> e2. 7	The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
COMMENTS	
9310	cli BIA/Blu Approved 7-9-93.

STATE OF UTAH SION OF OIL GAS AND MINING

DIVISION OF OIL, GAS AND MINING
355 West North Temple, 3 Triad, Suite 350, Salt Lake City, UT 84180-1203

Page 21 of 22

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:			UTAH	ACCOUNT NUMBER	R:N7370	
C/O MOBIL OIL CORP M E P N A PO DRAWER G CORTEZ CO 81321				RT PERIOD (MONTH NDED REPORT (1	Highlight Changes)	
ell Name	Decident		T			
PI Number Entity Location	Producing	Well	Days	OH (DDI)	Production Volumes	
RATHERFORD UNIT #17-22	Zone	Status	Oper	OIL(BBL)	GAS(MCF)	WATER(BBL)
4303731170 06280 41S 24E 17	DSCR					
RATHERFORD UNIT #17-42 4303731177 06280 41S 24E 17	DSCR	•			Ė	
RATHERFORD UNIT #17-31 4303731178 06280 41S 24E 17	DSCR					
RATHERFORD UNIT #18-31 4303731181 06280 41S 24E 18	DSCR			,		
RATHERFORD UNIT #18-42 4303731182 06280 415 24E 18	DSCR					
RATHERFORD UNIT #7-44 4303731189 06280 41S 24E 7 THERFORD UNIT #12-12	DSCR					
4303731190 06280 41S 23E 12 RATHERFORD UNIT #12-21	DSCR					
4303731201 06280 415 23E 12 RATHERFORD UNIT 12-43	DSCR	<u>-</u>				
4303731202 06280 415 23E 12 RATHERFORD UNIT #12-32	DSCR					
4303731203 06280 41S 23E 12 RATHERFORD UNIT 18-22	DSCR					
4303731236 06280 41S 24E 18	DSCR					
4303731544 06280 41S 23E 11 RATHERFORD 13-14	DSCR					
4303731589 06280 41S 23E 13	DSCR					
			TOTALS			
MMENTS:						
	<u> </u>					
ereoy certify that this report is true and complete to	the best of my	knowledge		D.	ale:	
ne and Signature:					Telephone Number:	
7921						

Division of Oil, Gas and Mining PHONE CONVERSATION DOCUMENTATION FORM

Rou []	Well File (Location) SecTwpRng (API No.)	(Return Date) (To - Initials)	
1.	Date of Phone Call: 8-3-95	Time:	
2.	DOGM Employee (name)L. Co	DRDOVA	(Initiated Call [])
	Name R. J. FIRTH of (Company/Organization)		
3.	Topic of Conversation: MEPI		
4.	Highlights of Conversation:		
	NORTH AMERICA INC) TO MOBIL EXP		
	THIS TIME TO ALLEVIATE CONFUSION	N, BOTH IN HOUSE AND AMO	NGST THE GENERAL PUBLIC.
	*SUPERIOR OIL COMPANY MERGED IN	TO M E P N A 4-24-86 (SE	E ATTACHED).
		·	

Mobil Oil Corporation

P.O. BOX 5444 DENVER, COLORADO 80217-5444

May 14, 1986

Utah Board of Oil, Gas and Mining 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

Attn: R. J. Firth

Associate Director



DIVISION OF OIL. GAS & MINING

SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with Mobil Exploration and Producing North America Inc. (MEPNA), which is also a wholly cwned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,

R. D. Baker

Environmental Regulatory Manager

CNE/rd CNE8661

OPERA	TOR CHANGE HORKSHEET				Rou (ing.) 1-4-C 7-PL 2-LWP 8-SJ
	all documentation received by the division received has been each listed item when completed. Write N/A		able.		3=D13/9-FILE 4-VLC
□ Cha □ Des	nge of Operator (well sold) ignation of Operator XX	□ Designation of ▼ Operator Name	Agent Change O	nly	5- RJF 6- LWP
The of	perator of the well(s) listed below h	as changed (EFFE)	CTIVE DAT	TE: 8-2-9 5)
TO (ne	ew operator) MOBIL EXPLOR & PROD (address) C/O MOBIL OIL CORP PO DRAWER G CORTEZ CO 81321 phone (303) 564-5212 account no. N7370	FROM (former		PO DRAWE CORTEZ O phone (3	L OIL CORP
Hell(s	<pre>i) (attach additional page if needed):</pre>				
Name: Name: Name: Name: Name:	** SEE ATTACHED ** API: 0.37.311 API: API: API: API: API: API: API: API:	Entity: Entity: Entity: Entity: Entity: Entity:	Sec _ Sec _ Sec _ Sec	TwpRng TwpRng TwpRng TwpRng TwpRng	Lease Type: Lease Type: Lease Type: Lease Type: Lease Type:
1	OR CHANGE DOCUMENTATION (Rule R615-8-10) Sundry or other operator (Attach to this form). (Rule R615-8-10) Sundry or other <u>lea</u>				
,	(Attach to this form). The Department of Commerce has been operating any wells in Utah. Is coyes, show company file number:	contacted if the ompany registere	e new ope d with t	erator above he state? (e is not currently (yes/no) If
	(For Indian and Federal Hells ONLY (attach Telephone Documentation Fo comments section of this form. Machanges should take place prior to comments to the comments of the comments and the place prior to comments.)	orm to this rep nagement review	ort). N of Fede i	dake note d r <mark>al and Ind</mark>	of BLM status in I ian well operator
Lec 5.	changes should take place prior to c Changes have been entered in the Oil listed above. $(8-3-95)$ Cardex file has been updated for eac	l and Gas Informa	ation Sys	stem (Wang/]	IBM) for each well
LW 6.	Cardex file has been updated for eac	h well listed ab	ove . &_3 ,	1.95	
W 7.	Well file labels have been updated f	or each well lis	ted above	e. 9-18-95	
ec 8.	Well file labels have been updated f Changes have been included on the m for distribution to State Lands and	nonthly "Operator the Tax Commissi	, Addres	s, and Acco 95)	ount Changes" memo
Lileg.	A folder has been set up for the Opplaced there for reference during ro	erator Change fi	le, and	the original	his page has been

OPERATOR CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.
ENTITY REVIEW
1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/ho) (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.
BOND VERIFICATION (Fee wells only) & No Fee Lesse Wells at this time!
1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19
LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY
1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated
2. Copies of documents have been sent to State Lands for changes involving State leases.
FILMING
FILING
1. Copies of all attachments to this form have been filed in each well file.
2. The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
COMMENTS
950803 WIC F5/Not necessary!

WE71/34-35

ExxonMobil Production Compa U.S. West P.O. Box 4358 Houston, Texas 77210-4358

June 27, 2001



Mr. Jim Thompson State of Utah, Division of Oil, Gas and Mining 1549 West North Temple Suite 1210 Salt Lake City, UT 84114-5801

Change of Name – Mobil Oil Corporation to ExxonMobil Oil Corporation

Dear Mr. Thompson

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

A copy of the Certification, Bond Rider and a list of wells are attached.

If you have any questions please feel free to call Joel Talavera at 713-431-1010

Charlotte H. Warper

Charlotte H. Harper Permitting Supervisor

ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for ExxonMobil Oil Corporation

THERONOF ON CAS AND MEMICS

P. 02



United States Department of the Interior

NAVATOR ECTON

P.O. Box 1060 Gallup, New Mexico 87305-1060

ALIG 3 0 2001

RRES/543

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Charlotte H. Harper, Permitting Supervisor Exxon Mobil Production Company U. S. West P. O. Box 4358 Houston, TX 77210-4358

Dear Ms. Harper:

This is to acknowledge receipt of your company's name change from Mobil Oil Corporation to ExxonMobil Oil Corporation effective June 1, 2001. The receipt of documents includes the Name Change Certification, current listing of Officers and Directors, Listing of Leases, Financial Statement, filing fees of \$75.00 and a copy of the Rider for Bond Number 8027 31 97. There are no other changes.

Please note that we will provide copies of these documents to other concerned parties. If you need further assistance, you may contact Ms. Bertha Spencer, Realty Specialist, at (928) 871-5938.

Sincerely,

CENNI DENETSONE

Regional Realty Officer

cc: BLM, Farmington Field Office w/enclosures
Navajo Nation Minerals Office, Attn: Mr. Akhtar Zaman, Director/w enclosures

The Production of the control of the	_
MERCHAL RESOURCES	
ADM 1 48/11C	
NATV AM MINICOORD	
SOLID FOR TEAM	
PERSONANT IEAH Z	
TEMORIST DAM	
who will give the strong of the state of the	
O&GENOPECT YEAM	
ALL TEAM LEADERS	
LAND RESOURCES	
ENVIRONMENT	
FILES	
	•

ExxonMobil Production Company

U.S. West P.O. Box 4358 Houston, Texas 77210-4358


June 27, 2001

Certified Mail
Return Receipt Requested

Ms. Genni Denetsone
United States Department of the Interior
Bureau of Indian Affairs, Navajo Region
Real Estate Services
P. O. Box 1060
Gallup, New Mexico 87305-1060
Mail Code 543

100 1/12/2001 SW 543

ExonMobil Production



Change of Name —
Mobil Oil Corporation to
ExxonMobil Oil Corporation

Dear Ms. Denetsone:

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

Attached is the Name Change Certification, Current listing of Officers and Directors, Filing Fee of \$75/-, Listing of Leases, Financial Statement and a copy of the Rider for Bond number 8027 31 97. The original Bond Rider has been sent to Ms. Barbar Davis at your Washington Office.

If you have any questions, please contact Alex Correa at (713) 431-1012.

Very truly yours,

Charlotte H. Harper Permitting Supervisor

Attachments

JUL 0 5 2001

NAVAJO REGION OFFICE
BRANCH OF REAL ESTATE SERVICES

ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for ExxonMobil Oil Corporation

NOTE: Check forwarded to Ella Issu

Charlotte U. Harper

Bureau of Indian Affairs Navajo Region Office Attn: RRES - Mineral and Mining Section P.O. Box 1060 Gallup, New Mexico 87305-1060

_						
Ġe	nti	•	m	Δ	n	۰

The current listing of officers and director of Corporation), ofNew York	ExxonMobil 0il Corporation (Name of (State) is as follows:
President F.A. Risch Vice President K.T. Koonce Secretary F.L. Reid Treasure B.A. Maher	Address 5959 Las Colinas Blvd, Irving, TX 75039
Name T.P. Townsend Name B.A. Maher Name F.A. Risch Sing	Address 5959 Las Colinas Blvd. Irving, TX 75039 erely, Correa
and in the custody of <u>Corporation</u> Service	caining toExxonMobil Oil Corporation

CERTIFICATION

I, the undersigned Assistant Secretary of ExxonMobil Oil Corporation. (formerly Mobil Oil Corporation), a corporation organized and existing under the laws of the State of New York, United States of America, DO HEREBY CERTIFY, That, the following is a true and exact copy of the resolutions adopted by the Board of Directors on May 22, 2001:

CHANGE OF COMPANY NAME

WHEREAS, the undersigned Directors of the Corporation deem it to be in the best interest of the Corporation to amend the Certificate of Incorporation of the Corporation to change the name and principal office of the Corporation:

NOW THEREFORE BE IT RESOLVED, That Article 1st relating to the corporate name is hereby amended to read as follows:

"1st. The corporate name of said Company shall be,

ExxonMobil Oil Corporation",

FURTHER RESOLVED, That the amendment of the Corporation's Certificate of Incorporation referred to in the preceding resolutions be submitted to the sole shareholder of the Corporation entitled to vote thereon for its approval and, if such shareholder gives its written consent, pursuant to Section 803 of the Business Corporation Law of the State of New York, approving such amendment, the proper officers of the Corporation be, and they hereby are, authorized to execute in the name of the Corporation the Certificate of Amendment of Certificate of Incorporation, in the form attached hereto;

FURTHER RESOLVED, That the proper officers of the Corporation be and they hereby are authorized and directed to deliver, file and record in its behalf, the Certificate of Amendment of Certificate of Incorporation, and to take such action as may be deemed necessary or advisable to confirm and make effective in all respects the change of this Company's name to EXXONMOBIL OIL CORPORATION.

WITNESS, my hand and the seal of the Corporation at Irving, Texas, this 8th day of June, 2001.

S. U. Miller Assistant Secretary

COUNTY OF DALLAS
STATE OF TEXAS
UNITED STATES OF AMERICA

Sworn to and subscribed before me at Irving, Texas, U. S. A. on this the 8th day of June, 2001.

Farice M. Phillis Notary Public

LISTING OF LEASES OF MOBIL OIL CORPORATION

Lease Number

- 1) 14-20-0603-6504
- 2) 14-20-0603-6505
- 3) 14-20-0603-6506
- 4) 14-20-0603-6508
- 5) 14-20-0603-6509
- 6) 14-20-0603-6510
- 7) 14-20-0603-7171
- 8) 14-20-0603-7172A
- 9) 14-20-600-3530
- 10) 14-20-603-359
- 11) 14-20-603-368
- 12) 14-20-603-370
- 13) 14-20-603-370A
- 14) 14-20-603-372
- 15) 14-20-603-372A
- 16) 14-20-603-4495
- 17) 14-20-603-5447
- 18) 14-20-603-5448
- 19) 14-20-603-5449
- 20) 14-20-603-5450
- 21) 14-20-603-5451

CHUBB GROUP OF INSURANCE COMPANIES

Goods Version to the South, State 1900, Houston Texas, 77027-3301 Homeon, 1131,937-4600 r February (713), 297-4750 NW Bond

FEDERAL INSURANCE COMPANY RIDER to be attached to and form a part of

BOND NO 8027 31 97
wherein
Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc. is
named as Principal and

FEDERAL INSURANCE COMPANY AS SURETY,

in favor of United States of America, Department of the Interior Bureau of Indian Affairs

in the amount of \$150,000.00 bond date: 11/01/65

IT IS HEREBY UNDERSTOOD AND AGREED THAT effective June 1, 2001 the name of the Principal is changed

FROM: Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc.

TO : ExxonMobil Oil Corporation

All other terms and conditions of this Bond are unchanged.

Signed, sealed and dated this 12th of June, 2001.

ZAZOMATODI ÇII COPPORATION

FEDERAL INSURANCE COMPANY

Mary Pierson, Attorney-in-fact



POWER OF ATTORNEY

Federal insurance Company Vigilant Insurance Company Pacific Indemnity Company

Attn.: Surety Department 15 Mountain View Road Warren, NJ 07059

Know All by These Presents, That FEDERAL INSURANCE COMPANY, an Indiana corporation, VIGILANT INSURANCE COMPANY, a New York corporation, and PACIFIC INDEMNITY COMPANY, a Wisconsin corporation, do each hereby constitute and appoint R.F. Bobo,

Mary Pierson, Philana Berros, and Jody E. Specht of Houston, Texas-----

each as their true and lawful Attorney-in-Fact to execute under such designation in their names and to affix their corporate seals to and deliver for and on their behalf as surety thereon or otherwise, bonds and undertakings and other writings obligatory in the nature thereof (other than ball bonds) given or executed in the course of business, and any instruments amending or attering the same, and consents to the modification or atteration of any instrument referred to in said bonds or obligations.

In Witness Whereof, said FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY have each executed and attested these presents and affixed their corporate seals on this -10 au hday of May, 2001.

STATE OF NEW JERSEY County of Somersel

On this 10th day of May, 2001 , before me, a Notary Public of New Jersey, personally came Kenneth C. Wendel, to me known to be Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY, the companies which executed the foregoing Power of Attorney, and the said Kenneth C. Wendel being by me duty sworn, did depose and say that he is Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY and knows the corporate seals thereof, and the said that he companies and that he companies and that he companies and that he companies and that he said that he said Companies and that he companies are that the companies and the compan that the seals affixed to the foregoing Power of Attorney are such corporate seals and were thereto efficied by authority of the By-Laws of said Companies; and that he vice Possident of said Companies; and that he vice Possident of said Companies; and that he vice Possident of said Companies; and that the signature of Frank E. Robertson, and income him to be Robertson as thereto subscribed by authority of said Companies in the genuine handwriting of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. as thereto subscribed by authority of said to the day design deponent's presence. (See age)

Notary Public State of New Jersey No. 2231647

Commission Expires Qct 28 2004 ON

Extract from the By-Laws of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY:

"All powers of attorney for and on behalf of the Company may and shall be executed in the name and on behalf of the Company, either by the Cheirman or the President or a Vice President or an Assistant Vice President, jointly with the Secretary or an Assistant Secretary, under their respective designations. The signature of such officers may be engraved, printed or lithographed. The signature of each of the following officers: Chairman, President, any Vice President, any Assistant Vice President, any Secretary, any Assistant Secretary and the seal of the Company may be affixed by facelmile to any power of attorney or to any certificate relating thereto appointing Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, and any such power of attorney or certificate bearing such facalmile signature or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by such facsimile signature and facsimile seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached."

I, Kenneth C. Wendel, Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY (the "Companies") do hereby certify that

(i) the foregoing extract of the By-Laws of the Companies is true and correct,

(ii) the Companies are duly icensed and authorized to transact surety business in all 50 of the United States of America and the District of Columbia and are authorized by the U. S. Treasury Department; further, Federal and Vigilant are licensed in Puerlo Rico and the U. S. Virgin Islands, and Federal is Sceneed in American Samoa, Guarn, and each of the Provinces of Canada except Prince Edward Island; and

(iii) the foregoing Power of Attorney is true, correct and in full force and effect.

Given under my hand and seals of said Companies at Warren, NJ this 12th day of June, 2001







MaidAnPair

IN THE EVENT YOU WISH TO NOTIFY US OF A CLAIM, VERIFY THE AUTHENTICITY OF THIS BOND OR NOTIFY US OF ANY OTHER MATTER, PLEASE CONTACT US AT ADDRESS LISTED ABOVE, OR BY Telephone (908) 903-3485 Fax (908) 903-3656 e-mail: surety@chubb.com

CSC

CSC.

5184334741

06/01 '01 08:46 NO.410 03/05

06/01 '01 09:06 NO.135 02/04

F010601000 187

CERTIFICATE OF AMENDMENT

OF

CERTIFICATE OF INCORPORATION

OF

CSC 45

MOBIL OIL CORPORATION

(Under Section 805 of the Business Corporation Law)

Pursuant to the provisions of Section 805 of the Business Corporation Lew, the undersigned President and Secretary, respectively, of Mobil Oil Corporation hereby cartify:

FIRST: That the name of the corporation is MOBIL OIL CORPORATION and that said corporation was incorporated under the name of Standard Oil Company of New York.

SECOND: That the Certificate of Incorporation of the corporation was filed by the Department of State, Albany, New York, on the 10th day of August, 1882.

THIRD: That the smendments to the Certificate of Incorporation effected by this Cartificate are as follows:

- (a) Article 1st of the Certificate of Incorporation, relating to the corporate name, is hereby amended to read as follows:
 - "1st The corporate name of said Company shall be,
 ExxonMobil Oil Corporation",
- (b) Article 7th of the Cartificate of Incorporation, relating to the office of the corporation is hereby amended to read as follows:

The office of the corporation within the State of New York is to be located in the County of Albany. The Company shall have offices at such other places as the Board of Directors may from time to time determine.

CSC CSC

5184334741

06/01 '01 08:47 NO.410 04/05

FOURTH: That the amendments to the Certificate of Incorporation were authorized by the Board of Directors followed by the holder of all outstanding shares entitled to wore on amendments to the Certificate of Incorporation by written consent of the sole shareholder dated May 22, 2001.

IN WITNESS WHEREOF, this Certificate has been signed this 22nd Day of May, 2001.

F. A. Risch, President

STATE OF TEXAS
COUNTY OF DALLAS


F. L. REID, being duly sworn, deposes and says that he is the Secretary of MOBIL OIL CORPORATION, the corporation mentioned and described in the foregoing instrument; that he has read and signed the same and that the statements contained therein are true.

F. L. REID, Secretary

SUBSCRIBED AND SWORN TO before me, the undersigned authority, on this the 22-4 day of May, 2001.

[SEAL]

NOTARY PUBLIC, STATE OF TEXAS



CSC,

5184334741

06/01.01.09:01 NO.411 02/02 01060100187

C3C 45

CERTIFICATE OF AMENDMENT

OF

MOBIL OIL CORPORATION

Under Section 805 of the Business Corporation Law

STATE OF NEW YORK DEPARTMENT OF STATE

Filed by: EXXONMOBIL CORPORATION

(Name)

: >

EILED JUN 0 1 2001

TAX\$

5959 Las Colinas Blvd.

(Mailing address)

BY:

allere

Irving, TX 75039-2298

(City, State and Zip code)

b code)

1455781MPJ

JUL C 5 2001

010601000/95

,TEL=5184334741

06/01'01 08:19

=> CSC

State of New York }
Department of State }
ss:

I hereby certify that the annexed copy has been compared with the original document in the custody of the Secretary of State and that the same is a true copy of said original.

Witness my hand and seal of the Department of State on JUN 01 2001



Special Deputy Secretary of State

DOS-1266 (7/00)

OPERATOR CHANGE WORKSHEET

ROUTING 1. GLH

2. CDW √ 3. FILE

Change of Operator (Well Sold)

Designation of Agent

X Operator Name Change

Merger

The operator of the well(s) listed below has chan	ged, effective:	06-01-2001						
FROM: (Old Operator):		TO: (New Op	perator):					
MOBIL EXPLORATION & PRODUCTION		EXXONMOBI	L OIL COP	RPORATIO	N			
Address: P O BOX DRAWER "G"		Address: U S WEST P O BOX 4358						
CORTEZ, CO 81321		HOUSTON, T	X 77210-43	558				
Phone: 1-(970)-564-5212		Phone: 1-(713)	-431-1010					
Account No. N7370		Account No.	N1855					
CA	No.	Unit:	RATHER	FORD				
WELL(S)								
	SEC TWN	API NO	ENTITY	P .		WELL		
NAME	RNG		NO	TYPE	TYPE	STATUS		
RATHERFORD UNIT 17-33	17-41S-24E	43-037-31134	6280	INDIAN	OW	P		
RATHERFORD UNIT 17-11		43-037-31169		INDIAN	OW	S		
RATHERFORD UNIT 17-22		43-037-31170		INDIAN	ow	P		
RATHERFORD UNIT 17-42		43-037-31177		INDIAN	OW	P		
RATHERFORD UNIT 17-31		43-037-31178		INDIAN	ow	P		
18-11		43-037-15733		INDIAN	OW	P		
RATHERFORD 18-13		43-037-15734		INDIAN	ow	P		
RATHERFORD UNIT 18-44		43-037-31045		INDIAN	ow	P		
RATHERFORD UNIT 18-24		43-037-31079		INDIAN	OW	P		
RATHERFORD UNIT 18-33		43-037-31135		INDIAN	ow	P		
RATHERFORD UNIT 18-31		43-037-31181		INDIAN	OW	P		
RATHERFORD UNIT 18-42		43-037-31182		INDIAN	OW	P		
RATHERFORD UNIT 18-22		43-037-31236		INDIAN	OW	P		
19-42		43-037-30916		INDIAN	OW	P		
RATHERFORD UNIT 19-22		43-037-31046		INDIAN	OW	P		
RATHERFORD UNIT 19-31		43-037-31047		INDIAN	OW	P		
RATHERFORD UNIT 19-33		43-037-31048		INDIAN	OW	P		
RATHERFORD UNIT 19-11		43-037-31080		INDIAN	OW	P		
RATHERFORD UNIT 19-44		43-037-31081		INDIAN	OW	P		
RATHERFORD 19-97	19-41S-24E	43-037-31596	6280	INDIAN	low	P		
	0.3.Y							
OPERATOR CHANGES DOCUMENTATION	JN							
Enter date after each listed item is completed			•	0.6/00/2000				
1. (R649-8-10) Sundry or legal documentation was rece	ived from the FOR	MER operator	on:	06/29/200	<u>l</u> _			
2. (R649-8-10) Sundry or legal documentation was rece	vived from the NEV	V operator on:	06/29/200	1				
3. The new company has been checked through the Department of Commerce , Division of Corporations Database on: 04/09/200								
4. Is the new operator registered in the State of Utah:	YES	Business Numl	ber:	579865-014	<u>13</u>			
5. If NO , the operator was contacted contacted on:	N/A							

6. Federal and Indian Lease Wells: The BLM and or the BIA has approve or operator change for all wells listed on Federal or Indian leases on: BIA-06/01/	
7. Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for wells listed on:	06/01/2001
8. Federal and Indian Communization Agreements ("CA"): The BLM or BIA has approved the operator for all wells listed within a CA on:	N/A
9. Underground Injection Control ("UIC") The Division has approve for the enhanced/secondary recovery unit/project for the water disposal well(s) listed	ed UIC Form 5, Transfer of Authority to Inject , d on: N/A
DATA ENTRY:	
1. Changes entered in the Oil and Gas Database on: 04/15/2002	
2. Changes have been entered on the Monthly Operator Change Spread Sheet on:	04/15/2002
3. Bond information entered in RBDMS on: N/A	
4. Fee wells attached to bond in RBDMS on: N/A	
STATE WELL(S) BOND VERIFICATION: 1. State well(s) covered by Bond Number: N/A FEDERAL WELL(S) BOND VERIFICATION:	
1. Federal well(s) covered by Bond Number: N/A	
INDIAN WELL(S) BOND VERIFICATION: 1. Indian well(s) covered by Bond Number: 80273197	
FEE WELL(S) BOND VERIFICATION:	
1. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number	N/A
2. The FORMER operator has requested a release of liability from their bond on: The Division sent response by letter on: N/A	N/A
LEASE INTEREST OWNER NOTIFICATION: 3. (R649-2-10) The FORMER operator of the fee wells has been contacted and informed of their responsibility to notify all interest owners of this change on: N/A	ed by a letter from the Division
COMMENTS:	

Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

ROUTING	;
1. DJJ	
2. CDW	

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:		6/1/2006
FROM: (Old Operator):	TO: (New Operator):	
V1855-ExxonMobil Oil Corporation	N2700-Resolute Natural	
PO Box 4358	1675 Broadway,	
Houston, TX 77210-4358	Denver, CO 8020	2
Phone: 1 (281) 654-1936	Phone: 1 (303) 534-4600	
CA No.	Unit:	RATHERFORD
OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received from the company was checked on the Department of Commerce and the new company was checked on the Department of Commerce and the company was contacted on the State of Utah: 5. If NO, the operator was contacted contacted on: 6a. (R649-9-2) Waste Management Plan has been received on: 6b. Inspections of LA PA state/fee well sites complete on: 6c. Reports current for Production/Disposition & Sundries on: 7. Federal and Indian Lease Wells: The BLM and or the or operator change for all wells listed on Federal or Indian leases 8. Federal and Indian Units: The BLM or BIA has approved the successor of unit operator in the BLM or BIA has approved the operator for all wells listed.	ne FORMER operator on: ne NEW operator on: ne, Division of Corporation S Business Number: requested n/a ok BIA has approved the s on: BLM for wells listed on: ("CA"): within a CA on:	4/21/2006 4/24/2006 ns Database on: 6/7/2006 5733505-0143 merger, name change,
() () () () () () () () () () () () () (
Inject, for the enhanced/secondary recovery unit/project for the DATA ENTRY:	water disposal well(s) listed	
Inject, for the enhanced/secondary recovery unit/project for the DATA ENTRY: 1. Changes entered in the Oil and Gas Database on: 2. Changes have been entered on the Monthly Operator Change: 3. Bond information entered in RBDMS on: 4. Fee/State wells attached to bond in RBDMS on:	6/22/2006 Spread Sheet on: n/a n/a	
Inject, for the enhanced/secondary recovery unit/project for the DATA ENTRY: 1. Changes entered in the Oil and Gas Database on: 2. Changes have been entered on the Monthly Operator Change: 3. Bond information entered in RBDMS on: 4. Fee/State wells attached to bond in RBDMS on: 5. Injection Projects to new operator in RBDMS on:	6/22/2006 Spread Sheet on: n/a n/a 6/22/2006	d on: 6/12/2006
Inject, for the enhanced/secondary recovery unit/project for the DATA ENTRY: 1. Changes entered in the Oil and Gas Database on: 2. Changes have been entered on the Monthly Operator Change 3. Bond information entered in RBDMS on: 4. Fee/State wells attached to bond in RBDMS on: 5. Injection Projects to new operator in RBDMS on: 6. Receipt of Acceptance of Drilling Procedures for APD/New on:	6/22/2006 Spread Sheet on: n/a n/a 6/22/2006	d on: 6/12/2006
Inject, for the enhanced/secondary recovery unit/project for the DATA ENTRY: 1. Changes entered in the Oil and Gas Database on: 2. Changes have been entered on the Monthly Operator Change 3. Bond information entered in RBDMS on: 4. Fee/State wells attached to bond in RBDMS on: 5. Injection Projects to new operator in RBDMS on: 6. Receipt of Acceptance of Drilling Procedures for APD/New on: BOND VERIFICATION:	6/22/2006 Spread Sheet on:	d on: 6/12/2006
Inject, for the enhanced/secondary recovery unit/project for the DATA ENTRY: 1. Changes entered in the Oil and Gas Database on: 2. Changes have been entered on the Monthly Operator Change and information entered in RBDMS on: 4. Fee/State wells attached to bond in RBDMS on: 5. Injection Projects to new operator in RBDMS on: 6. Receipt of Acceptance of Drilling Procedures for APD/New on: BOND VERIFICATION: 1. Federal well(s) covered by Bond Number:	6/22/2006 Spread Sheet on:	d on: 6/12/2006
Inject, for the enhanced/secondary recovery unit/project for the DATA ENTRY: 1. Changes entered in the Oil and Gas Database on: 2. Changes have been entered on the Monthly Operator Change of the Bond information entered in RBDMS on: 4. Fee/State wells attached to bond in RBDMS on: 5. Injection Projects to new operator in RBDMS on: 6. Receipt of Acceptance of Drilling Procedures for APD/New on: BOND VERIFICATION: 1. Federal well(s) covered by Bond Number: 2. Indian well(s) covered by Bond Number:	6/22/2006 Spread Sheet on:	d on: 6/12/2006
Inject, for the enhanced/secondary recovery unit/project for the DATA ENTRY: 1. Changes entered in the Oil and Gas Database on: 2. Changes have been entered on the Monthly Operator Change in RBDMS on: 4. Fee/State wells attached to bond in RBDMS on: 5. Injection Projects to new operator in RBDMS on: 6. Receipt of Acceptance of Drilling Procedures for APD/New on: BOND VERIFICATION: 1. Federal well(s) covered by Bond Number: 2. Indian well(s) covered by Bond Number: 3. (R649-3-1) The NEW operator of any fee well(s) listed covered	6/22/2006 Spread Sheet on: n/a n/a 6/22/2006 n/a PA002769 by Bond Number	d on: 6/12/2006 6/22/2006
Inject, for the enhanced/secondary recovery unit/project for the DATA ENTRY: 1. Changes entered in the Oil and Gas Database on: 2. Changes have been entered on the Monthly Operator Change of Bond information entered in RBDMS on: 4. Fee/State wells attached to bond in RBDMS on: 5. Injection Projects to new operator in RBDMS on: 6. Receipt of Acceptance of Drilling Procedures for APD/New on: BOND VERIFICATION: 1. Federal well(s) covered by Bond Number: 2. Indian well(s) covered by Bond Number: 3. (R649-3-1) The NEW operator of any fee well(s) listed covered a. The FORMER operator has requested a release of liability from	6/22/2006 Spread Sheet on: n/a n/a 6/22/2006 n/a PA002769 by Bond Number	6/12/2006 6/22/2006
Inject, for the enhanced/secondary recovery unit/project for the DATA ENTRY: 1. Changes entered in the Oil and Gas Database on: 2. Changes have been entered on the Monthly Operator Change; 3. Bond information entered in RBDMS on: 4. Fee/State wells attached to bond in RBDMS on: 5. Injection Projects to new operator in RBDMS on: 6. Receipt of Acceptance of Drilling Procedures for APD/New on: BOND VERIFICATION: 1. Federal well(s) covered by Bond Number: 2. Indian well(s) covered by Bond Number: 3. (R649-3-1) The NEW operator of any fee well(s) listed covered a. The FORMER operator has requested a release of liability from The Division sent response by letter on:	6/22/2006 Spread Sheet on: n/a	6/12/2006 6/22/2006
Inject, for the enhanced/secondary recovery unit/project for the DATA ENTRY: 1. Changes entered in the Oil and Gas Database on: 2. Changes have been entered on the Monthly Operator Change and information entered in RBDMS on: 4. Fee/State wells attached to bond in RBDMS on: 5. Injection Projects to new operator in RBDMS on: 6. Receipt of Acceptance of Drilling Procedures for APD/New on: BOND VERIFICATION: 1. Federal well(s) covered by Bond Number: 2. Indian well(s) covered by Bond Number: 3. (R649-3-1) The NEW operator of any fee well(s) listed covered a. The FORMER operator has requested a release of liability from	6/22/2006 Spread Sheet on: n/a n/a 6/22/2006 n/a n/a PA002769 by Bond Number their bond on: n/a n/a ontacted and informed by a	6/22/2006

STATE OF LITAH

	DEPARTMENT OF NATURAL RESOURDIVISION OF OIL, GAS AND MI				SE DESIGNATION AND SERIAL NUMBER:
SUNDR	Y NOTICES AND REPORTS	S ON WEL	 LS	6. IF IN	DIAN, ALLOTTEE OR TRIBE NAME: ajo Tribe
Do not use this form for proposals to dril drill horizontal	7. UNI	r of CA AGREEMENT NAME:			
TYPE OF WELL OIL WELI		Jnit Agreeme		100000000000000000000000000000000000000	L NAME and NUMBER: attached list
2. NAME OF OPERATOR: Resolute Natural Resour	ces Company N2700			3 000	NUMBER: ched
3. ADDRESS OF OPERATOR:		80202	PHONE NUMBER: (303) 534-4600		ELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL FOOTAGES AT SURFACE: See	attached list			COUNT	v: San Juan utah
11. CHECK API	PROPRIATE BOXES TO INDICAT	E NATURE	OF NOTICE, REPO	ORT, O	R OTHER DATA
TYPE OF SUBMISSION		T	YPE OF ACTION		
NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start:	ACIDIZE ALTER CASING CASING REPAIR CHANGE TO PREVIOUS PLANS	DEEPEN FRACTURE NEW CONS OPERATOR	TRUCTION		REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON TUBING REPAIR
SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	CHANGE TUBING CHANGE WELL NAME CHANGE WELL STATUS COMMINGLE PRODUCING FORMATIONS CONVERT WELL TYPE	RECLAMAT			VENT OR FLARE WATER DISPOSAL WATER SHUT-OFF OTHER:
12. DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show all I	pertinent details in	cluding dates, depths, volu	mes, etc.	
Effective June 1, 2006 E Resolute Natural Resou A list of affected produci UIC Form 5, Transfer of	exxon Mobil Oil Corporation resignates Company is designated as sung and water source wells is attac	s as operator accessor oper hed. A separ	of the Ratherford larator of the Ratherford late of affected injections.	Unit. Als ord Uni	t. ells is being submitted with
- Dwight I	ENANOS)		Regulatory Cod	ordinato	or .
SIGNATURE LITE	11/2	DA1	4/20/2006		
(This space for State use only)		• /		RE	CEIVED

APPROVED 6 137 106

Carlene Russell

Division of Oil, Gas and Mining Littons on Reverse Side)

APR 2 4 2006

Earlene Russell, Engineering Technician

DIV. OF OIL, GAS & MINING

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES							<u> </u>	FORM 9 5. LEASE DESIGNATION AND SERIAL NUMBER:				
DIVISION OF OIL, GAS AND MINING								.EAS	GE DESIGNATION AND SERIAL NUMBER:			
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to								6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ship Rock 7. UNIT OF CA AGREEMENT NAME:				
Do not use this form for po	roposals to drill n drill horizontal la	ew well: terals.	s, significantly deepen existing wells below co Use APPLICATION FOR PERMIT TO DRILL	form for	such proposa	ls.			68931A L NAME and NUMBER:			
1, TYPE OF WELL	OIL WELL	Ø	GAS WELL OTHER				R	ath	perford			
2. NAME OF OPERATOR		_	N1855				1		ched			
ExxonMobil Oil 3. ADDRESS OF OPERA		H1				PHONE NUMBER:	10.	FIE	LD AND POOL, OR WILDCAT:			
P.O. Box 4358	CIT	, Но	uston STATE TX Z	_{IP} 772	10-4358	(281) 654-1936	A	ne	th			
4. LOCATION OF WELL FOOTAGES AT SURFA		10	· 20 C	F.		公式的 交換人物	со	UNT	y: San Juan			
QTR/QTR, SECTION, 1	OWNSHIP, RAN	IGE, ME	ERIDIAN:				ST	ATE:	UTAH			
11. CH	ECK APPI	ROP	RIATE BOXES TO INDICA	TE N	ATURE	OF NOTICE, REP	ORT,	OI	R OTHER DATA			
TYPE OF SUBM		Ť				YPE OF ACTION						
NOTICE OF INT (Submit in Duplic Approximate date w 6/1/2006 SUBSEQUENT I (Submit Original Date of work complement of Work Comp	ENT cate) rork will start: REPORT Form Only) etion: POSED OR C Corporation	on is oper	ator notices should be mad	Il pertino	PLUG AND PLUG BAC PRODUCTI RECLAMA' RECOMPL ent details in	STRUCTION R CHANGE ABANDON K ON (START/RESUME) FION OF WELL SITE ETE - DIFFERENT FORMATIC Icluding dates, depths, vol-	lease	e to	REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON TUBING REPAIR VENT OR FLARE WATER DISPOSAL WATER SHUT-OFF OTHER: D. Resolute Natural Resources 1, 2006.			
Attached pleas	e find a lis	ting (of producers and water sou	ance w	ens more		•					
NAME (PLEASE PRINT)	Laurie Ki	lbrid	e		ті	Permitting Sup	ervis	or				

Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician
(See Instruction

RECEIVED APR 2 1 2006

DATE 4/19/2006

Ratherford Unit - Producer Well List

			r	-T	T		_	Location	1	
	i	A D1 #	Chatus	1 0000 #	800	ĪΤ	R	QTR/QTR		EWFoot
Lease	Number	API#	Status	Lease #	Sec		Λ	GINGIN	1431 001	LVVI OOL
	<u> </u>	10007011000001	Design and the second	44000000464	1	415	225	SWSW	0660FSL	0660FWL
Ratherford	01-14	430373116200S1	Producing	1420603246A	1			SWSE	1133FSL	1980FEL
Ratherford	01-34	430371638501S1	SI	1420603246A	1	4			0860FNL	0350FEL
Ratherford	11-41	430373154400S1	Producing	1420603246A	11			NENE		0660FEL
Ratherford	11-43	430373162201S1	Producing	1420603246A	11			NESE	1980FSL	
Ratherford	12-12	430373119000S1	Producing	1420603246A	12			SWNW	1850FNL	0660FWL
Ratherford	12-14	430371584400S1	SI	1420603246A	12			SWSW		4622FEL
Ratherford	12-21	430373120100S1	Producing	1420603246A	12			NENW	0660FNL	1980FWL
Ratherford	12-23	430371584601S1	Producing	1420603246A	12			NESW		3300FEL
Ratherford	12-32	430373120300S1	Producing	1420603246A	12			SWNE	1820FNL	-
Ratherford	12-34	430373112600S1	Producing	1420603246A	12			SWSE	0675FSL	1905FEL
Ratherford	12-43	430373120200S1	SI	1420603246A	12	41S	23E	NESE	2100FSL	0660FEL
Ratherford	13-12	430373112701S1	Producing	1420603247A	13	418		SWNW	1705FNL	0640FWL
Ratherford	13-14	430373158900S1	Producing	1420603247A	13	41S	23E	SWSW	0660FSL	0660FWL
Ratherford	13-21	430373112801S1	SI	1420603247A	13	41S	23E	NENW	0660FNL	1920FWL
Ratherford	13-23	430373112900S1	Producing	1420603247A	13	41S	23E	NESW	1980FSL	1930FWL
Ratherford	13-34	430373113001S1	Producing	1420603247A	13	418	23E	SWSE	0660FSL	1980FEL
Ratherford	13-41	430371585601S1	Producing	1420603247A	13	418	23E	NENE	660FNL	660FEL
Ratherford	13-43	430373113100S1	Producing	1420603247A	13	418	23E	NESE	1700FSL	0960FEL
Ratherford	14-32	430371585801S1	Producing	1420603247A	14			SWNE	2130FNL	1830FEL
Ratherford	14-41	430373162300S1	Producing	1420603247A	14	418	23E	NENE	0521FNL	0810FEL
Ratherford	24-32	430373159300S1	Producing	1420603247A	24			SWNE	2121FNL	1846FEL
Ratherford	24-32	430373113200S1	Producing	1420603247A	24			NENE	0660FNL	0710FEL
Ratheriolu	24-41	43037311020001	i roddollig	1 120000	 	1				
Datharford	17 11	430373116900S1	Producing	1420603353	17	415	24F	NWNW	1075FNL	0800FWL
Ratherford	17-11	43037311090031 430373113301S1	Producing	1420603353	17			NWSW	2100FSL	0660FWL
Ratherford	17-13	430373113301S1	Producing	1420603353	17			SENW	1882FNL	1910FWL
Ratherford	17-22	43037311700131 430373104400S1	Producing	1420603353	17			SESW	0720FSL	1980FWL
Ratherford	17-24			1420603353	17			NWNE	0500FNL	1980FEL
Ratherford	17-31	430373117800S1	Producing	1420603353	17			NWSE	1980FSL	1845FEL
Ratherford	17-33	430373113400S1	Producing	1420603353	17	415			1980FNL	0660FEL
Ratherford	17-42	430373117700S1	Producing		17		24E		0660FSL	0660FEL
Ratherford	17-44	430371573201S1	Producing	1420603353		_	_			0730FWL
Ratherford	18-11	430371573300S1	SI	1420603353	18			NWNW		
Ratherford	18-13	430371573401S1	Producing	1420603353	18			NWSW		0500FWL
Ratherford	18-22	430373123600S1	Producing	1420603353	18			SENW		2210FWL
Ratherford	18-24	430373107900S1	Producing	1420603353	18			SESW		1980FWL
Ratherford	18-31	430373118101S1	Producing	1420603353	18			NWNE		2090FEL
Ratherford	18-33	430373113501S1	Producing	1420603353	18			NWSE		1980FEL
Ratherford	18-42	430373118200S1	Producing	1420603353	18			SENE		0745FEL
Ratherford	18-44	430373104500S1	SI	1420603353	18		_	SESE		0660FEL
Ratherford	19-11	430373108000S1	Producing	1420603353	19			NWNW		0660FWL
Ratherford	19-13	430373171900S1	Producing	1420603353	19		_	NWSW		0660FWL
Ratherford	19-22	430373104601S1	Producing	1420603353	19			SENW		
Ratherford	19-24	430373175401S1	Producing	1420603353	19	418	24E	SESW	0600FSL	1980FWL
Ratherford	19-31	430373104701S1	Producing	1420603353	19	418	24E	NWNE	510FNL	1980FEL
Ratherford	19-33	430373104800S1	Producing	1420603353	19	418	24E	NWSE		1980FEL
Ratherford	19-42	430373091600S1	Producing	1420603353	19	418	24E	SENE	1880FNL	. 0660FEL
Ratherford	19-44	430373108100S1	Producing	1420603353	19		_	SESE	0660FSL	0660FEL
Ratherford	19-44	430373159600S1	Producing	1420603353	19			SENE		. 0030FEL
Ratherford	20-11	43037310300051	Producing	1420603353	20			NWNW		0660FWL
		43037310490031 430373091700S1	Producing	1420603353	20			NWSW		. 0500FWL
Ratherford	20-13	430373091700S1	Producing	1420603353	20			SENW		2090FWL
Ratherford	20-22		Producing	1420603353	20			SESW		. 1820FWL
Ratherford	20-24	430373091800S1	Trioducitie	1720003333	1 20	- 1 0	1-7-	.,0_0.	,,,,,,,,,	

Ratherford Unit - Producer Well List

								Locatio	n	Atavat - Allanies -
Lease	Number	API#	Status	Lease #	Sec	T	R	QTR/QTR	NSFoot	EWFoot
				3:						
Ratherford	20-31	430373105001S1	Producing	1420603353	20	41S		NWNE	0660FNL	1880FEL
Ratherford	20-33	430373093100S1	Producing	1420603353	20	41S		NWSE	1910FSL	2140FEL
Ratherford	20-42	430373105100S1	Producing	1420603353	20	418		SENE		0660FEL
Ratherford	20-44	430373091501S1	Producing	1420603353	20	415		SESE		0760FEL
Ratherford	20-66	430373159201S1	Producing	1420603353	20	415		SWNW	1369FNL	1221FWL
Ratherford	20-68	430373159100S1	Producing	1420603353	20	418	24E	NWSW	1615FSL	1276FWL
		7=								05005)4#
Ratherford	15-12	430371571501S1	Producing	1420603355	15			SWNW	1820FNL	0500FWL
Ratherford	15-22	430373044900S1	SI	1420603355	15			SENW		2050FWL
Ratherford	15-32	430371571700S1	Producing	1420603355	15			SWNE	1980FNL	1980FEL
Ratherford	15-33	430371571800S1	Producing	1420603355	15	418		NWSE	1650FSL	1980FEL
Ratherford	15-41	430371571900S1	TA	1420603355	15	41S		NENE	0660FNL	0660FEL
Ratherford	15-42	430373044800S1	Producing	1420603355	15	415		SENE	2020FNL	0820FEL
Ratherford	16-13	430373116801S1	Producing	1420603355	16	418		NWSW	1980FSL	660FWL
Ratherford	16-32	430371572300S1	Producing	1420603355	16	418		SWNE	1980FNL	1980FEL
Ratherford	16-41	430371572500S1	Producing	1420603355	16	415		NENE	0660FNL	0660FEL
Ratherford	16-77	430373176800S1	Producing	1420603355	16	418		NESW		2410FWL
Ratherford	21-23	430371375400S1	Producing	1420603355	21	415		NESW	1740FSL	1740FWL
Ratherford	21-24	430373172001S1	SI	1420603355	21			SESW	487FSL	2064FWL
Ratherford	21-32	430371575500S1	SI	1420603355	21	418		SWNE	1880FNL	1980FEL
Ratherford	21-77	430373175801S1	SI	1420603355	21	415	24E	NWSE	2511FSL	2446FEL
			100		<u> </u>	 	L.		DOCCENII.	DZ40EXA
Ratherford	07-11	430373116300S1	Producing	1420603368	7	415		NWNW	0660FNL	0710FWL
Ratherford	07-13	430373116400S1	Producing	1420603368	7	415		NWSW	2110FSL	0740FWL
Ratherford	07-22	430373116500S1	Producing	1420603368	7	_		SENW	1980FNL	1980FWL
Ratherford	07-24	430373116600S1	Producing	1420603368	7			SESW	0880FSL	2414FWL 0555FEL
Ratherford	07-44	430373118900S1	SI	1420603368	7			SESE	0737FSL	0520FWL
Ratherford	08-12	430371599100S1	Producing	1420603368	8	-		SWNW	1909FNL 0616FNL	1911FWL
Ratherford	08-21	430371599300S1	Producing	1420603368	8	418		NENW	1920FSL	2055FWL
Ratherford	08-23	430371599400S1	Producing	1420603368	8	415		NESW	1980FNL	1980FEL
Ratherford	08-32	430371599500S1	Producing	1420603368	8	415		SWNE	0660FSL	1980FEL
Ratherford	08-34	430371599600S1	Producing	1420603368	8	418	24E	SVVSE	UOOUFSL	ISOUFEL
				4.400000.4005	+ 4	440	245	SWSE	0660FSL	1980FEL
Ratherford	04-34	430371616400S1	Producing	14206034035	4	1415	245	JOVVOE	00001 SL	13001 LL
		40007404070004	Draduaina	14206034037	11	1/18	245	SWSW	0660FSL	0660FWL
Ratherford	11-14	430371616700S1	Producing	14200034037	+ '-	1413	246		100001 01	00001 112
		40007457440004	SI	14206034043	9	419	24F	SWSE	0660FSI	1980FEL
Ratherford	09-34	430371571100S1	Producing	14206034043	10			SWNW		0660FWL
Ratherford	10-12	430371571200S1 430371571300S1	Producing	14206034043	10			swsw	0510FSL	-
Ratherford	10-14	430371571400S1	TA	14206034043	10	_		SWNE		1910FEL
Ratherford	10-32	430371371400S1	TA	14206034043	10			SESE	0820FSL	
Ratherford	10-44	43037304510051	11/2	14200034040	1 10	+	1	0202	1	
Dath a fairl	20.44	430373105300S1	Producing	1420603407	29	415	24F	NWNW	0770FNL	0585FWL
Ratherford	29-11		Producing	1420603407	29			SENW		1370FWL
Ratherford	29-22	430373108200S1	Producing	1420603407	29			NWNE		2140FEL
Ratherford	29-31	430373091401S1	SI	1420603407	29			NWSE		1820FEL
Ratherford	29-33	430373093200S1	SI	1420603407	29			SWSE		2096FEL
Ratherford	29-34	430371534000S1	SI	1420603407	29			SENE		0660FEL
Ratherford	29-42	430373093700S1	Producing	1420603407	30			SWNE	1975FNL	
Ratherford	30-32	430371534200S1	Producing	172000707	+ ==	1	+			= 17
Doth a of a set	20.44	430373044600S1	Producing	1420603409	28	415	24F	NWNW	0520FNL	0620FWL
Ratherford	28-11	4303/304460031	rioudding	172000700	+	+-	+	+		1

	——————————————————————————————————————		Status		Location						
Lease Number	API#	Lease #		Sec	Т	R	QTR/QTR	NSFoot	EWFoot		
Ratherford	09-12	430371512600S1	Producing	14206035045	9	415	24E	SWNW	1865FNL	0780FWL	
Ratherford	09-14	430371512700S1	Producing	14206035046	9	418	24E	SWSW	0695FSL	0695FWL	
Ratherford	04-14	430371616300S1	Producing	14206035446	4	41S	24E	SWSW	0500FSL	0660FWL	
Ratherford	03-12	430371562000S1	Producing	14206036506	3	418	24E	SWNW	2140FNL	0660FWL	

Water S]		
RU	S1	4303700001	Active
RU	S2	4303700002	Active
RU	S3	4303700003	Active
RU	S4	4303700004	Active
RU	S5	4303700005	Active
RU	S6	4303700006	Active
RU	S7	4303700007	Active
RU	S8	4303700008	Active
RU	S9	4303700009	Active
RU	S10	4303700010	Active
RU	S11	4303700011	Active
RU	S12	4303700012	Active
RU	S13	4303700013	Active
RU	S14	4303700014	Active
RU	S16	4303700016	Active
RU	S17	4303700017	Active